

Supplementary material

Characteristics of included studies

The characteristics of studies included in multivariate analyses in lieu of meta-analysis are detailed in tables and appendices within the review. Note that these references are included in the list below along with studies that were rejected upon reading at full text (reasons for rejection are recorded in review appendices).

References retrieved from electronic searching assessed at full text

Japanese Knotweed in Amenity Areas, Tree Advice Trust.

- (1974). Annual report of the German Plant Protection Service. [German], Annual report of the German Plant Protection Service.. Braunschweig. 1974 publ. 1975. 21 Jg. 266.
- (1984). Session 6: Weed control as an aspect of management. Aspects of Applied Biology 5, Weed control and vegetation management in forests and amenity areas. J. S. P. Sale and T. Preston. National Vegetable Research Station, Wellesbourne, Warwick, Association of Applied Biologists: 265-318.
- (1995). Plant invasions: general aspects and special problems. Workshop held at Kostelec nad Cernymi lesy, Czech Republic, 16-19 September 1993. Plant invasions: general aspects and special problems. P. Pysek, K. Prach, M. Rejmanek and M. Wade. Czech Republic, 16-19 September 1993.. SPB Academic Publishing, Amsterdam, Netherlands, Workshop held at Kostelec nad Cernymi lesy: xi + 263.
- Ahrens, J. F. (1975). Preliminary results with glyphosate for control of *Polygonum cuspidatum*, Proceedings of the Northeastern Weed Science Society New York City.. 1975. **29?**: 326.
- Baker, R. M. (1988). "Mechanical control of Japanese knotweed in an S.S.S.I." Aspects of applied biology **16**: 189-192.
- Beerling, D. J. (1990). The use of non-persistent herbicides to control riparian stands of Japanese knotweed (*Reynoutria japonica* Houtt). Biology and control of invasive plants. Moorhead & Laing Ltd, Ruthin, Clwyd, Richards: 121-129.
- Beerling, D. J. (1990 or 91?). "The use of non-persistent herbicides, glyphosate, and 2,4-D amine, to control riparian stands of Japanese knotweed (*Reynoutria japonica* Houtt.)." Regulated Rivers - Research & Management **5**(5): 413-417.
- Beerling, D. J. (1991). The ecology and control of Japanese knotweed (*Reynoutria Japonica* Houtt.) and Himalayan Balsam (*Impatiens Glandulifera* Royle) on river banks in South Wales. Cardiff, University of Wales, College of Cardiff.
- Beerling, D. J. (1991). "The Effect of Riparian Land-Use on the Occurrence and Abundance of Japanese Knotweed *Reynoutria-Japonica* on Selected Rivers in South Wales." Biological Conservation **55**(3): 329-337.
- Beerling, D. J. (1991). "Erratum: The testing of cullular concrete revetment blocks resistant to growths of *Reynoutria japonica* Houtt (Japanese knotweed). (Water Research (1991) 25 (495-498))." Water Research **25**(6): 749.
- Beerling, D. J. (1991). "The testing of cellular concrete revetment blocks resistant to growths of *Reynoutria japonica* houtt (Japanese knotweed)." Water Research **25**(4): 495-498.

- Beerling, D. J. and J. P. Palmer (1994). Status of *Fallopia japonica* (Japanese knotweed) in Wales, Ecology and management of invasive riverside plants.. John Wiley & Sons Ltd Chichester UK: 1994. 199-211. 20 ref.
- Berney, M. (1971). "La renouee du Japon (*Polygonum cuspidatum*)."
May **44**(5): 138-139.
- Bimova, K., B. Mandak, et al. (2001). Experimental control of *Reynoutria* congeners: A comparative study of a hybrid and its parents. Plant Invasions: Species Ecology and Ecosystem Management: 283-290.
- Bing, A. (1977). Glyphosate to control perennial weeds in landscape plantings, Proceedings of the Northeastern Weed Science Society Baltimore 1977.. 1977. Volume 31 327.
- Brabec, J. and P. Pys?ek (2000). "Establishment and survival of three invasive taxa of the Genus *Reynoutria* (*Polygonaceae*) in mesic mown meadows: A field experimental study." Folia Geobotanica **35**(1): 27-42.
- Child, L. (2000). Japanese knotweed in amenity areas. Alice Holt Lodge, Farnham, Arboricultural Advisory & Information Service, Forestry Commission Research Station Farnham UK: 2000. 150/00/EXT 7. 10 ref.
- Child, L., M. Wade, et al. (1998). Cost effective control of *Fallopia japonica* using combination treatments. Plant Invasions: Ecological Mechanisms and Human Responses: 143-154.
- Child, L. and P. M. Wade (2000). The Japanese knotweed manual : the management and control of an invasive alien weed. Chichester, Packard Publishing Ltd Chichester UK.
- Child, L. E. (1999). Vegetative regeneration and distribution of *Fallopia japonica* and *Fallopia x bohemica*: implications for control and management (BL), LOUGHBOROUGH UNIVERSITY (UNITED KINGDOM).
- Child, L. E., L. C. De Wall, et al. (1992). "Control and management of *Reynoutria* species (Knotweed)." Aspects of applied biology **29**: 295-307.
- Child, L. E., L. C. d. Waal, et al. (1994 or 93?). Herbicides - is there a better way to control *Fallopia japonica*? Maitrise des adventices par voie non chimique
- Non Chemical Weed Control - Communications of the Fourth International Conference I.F.O.A.M. J. M. Thomas. Quetigny Cedex France, Association Colloque IFOAM: Ed 225-232.
- Dawson, F. H. and D. Holland (1999). "The distribution in bankside habitats of three alien invasive plants in the U.K. in relation to the development of control strategies." Hydrobiologia **415**: 193-201.
- De Waal, L. C. (1994). Ecology and management of invasive riverside plants. Chichester UK, John Wiley & Sons Ltd.
- De Waal, L. C. (1995). Treatment of *Fallopia japonica* near water - a case study. Plant invasions: general aspects and special problems. P. Pysek, K. Prach, M. Rejmanek and M. Wade. Amsterdam Netherlands, SPB Academic Publishing: 203-212.
- De Waal, L. C., L. E. Child, et al. (1995). The Management of 3 Alien Invasive Riparian Plants - *Impatiens-Glandulifera* (Himalayan Balsam), *Heracleum-Mantegazzianum* (Giant Hogweed) and *Fallopia-Japonica* (Japanese Knotweed). Ecological Basis for River Management: 315-321.
- Environment, A. (1996). Guidance for the control of invasive plants near watercourses : Japanese knotweed, Himalayan balsam, giant hogweed. Bristol, Environment Agency.

- Evans, S. and N. Farrin (2003). Japanese Knotweed and land reclamation in Stoke-on-Trent. Land Reclamation: Extending the Boundaries: 173-175.
- Figueroa, P. F. (1989). "Japanese knotweed herbicide screening trial applied as a roadside spray." Proceedings Western Society of Weed Science **42**: 288-298.
- Fowler, S. V. and A. N. G. Holden (1994). Classical biological control for exotic invasive weeds in riparian and aquatic habitats - practice and prospects. Ecology and management of invasive riverside plants. L. C. d. Waal, L. E. Child, P. M. Wade and J. H. Brock. Chichester, John Wiley & Sons Ltd: 173-182.
- Gover, A. E., J. M. Johnson, et al. (1999). "Comparison of spring-applied herbicides for control of giant knotweed during roadside renovation." Northeastern Weed Science Society. Proceedings of the ... annual meeting **53**: 98-99.
- Gover, A. E., J. M. Johnson, et al. (2000). Comparison of rehabilitation sequences for Japanese and Sakhalin knotweed infestations. Proceedings of the Fifty-Fourth Annual Meeting of the Northeastern Weed Science Society, Baltimore, MD, USA, 3, 4, 5, and 6 January, 2000. M. VanGessel. Baltimore, Northeastern Weed Science Society: 78-80.
- Green, S. (2003). "A review of the potential for the use of bioherbicides to control forest weeds in the UK." Forestry **76**(3): 285-298.
- Gritten, R. (1990). The control of invasive plants in Snowdonia National Park. Biology and control of invasive plants. Moorhead & Laing Ltd, Ruthin, Clwyd, Richards: 80-85.
- Gunn, I. D. M. (1987). 1. Biology and control of Japanese knotweed (Reynoutria japonica, Houtt) and Himalayan Balsam (Impatiens glandulifera, Royle) on river banks : 2. Distributional survey of Japanese knotweed (Reynoutria japonica, Houtt) and Himalayan Balsam (Impatiens glandulifera, Royle) in South Wales rivers:and experimental trials on Reynoutria Japonica.
- Harranger, J. (1985). "Les renouees bambous." Phytoma. Mar **366**: 5.
- Hawke, C. and D. R. Williamson (1995). Japanese knotweed in amenity areas, Arboriculture Research and Information Note - Department of the Environment UK. Arboricultural Advisory and Information Service Forestry Commission Research Station Farnham UK: 1995. 95: 106 3. 3 ref.
- Hawke, C., D. R. Williamson, et al. (1992). Japanese knotweed in amenity areas. Wrecclesham, Arboricultural Advisory and Information Officer.
- Hill, D. J. (1994). A practical strategy for the control of Fallopia japonica (Japanese knotweed) in Swansea and the surrounding area, Wales, Ecology and management of invasive riverside plants.. John Wiley & Sons Ltd Chichester UK: 1994. 195-198. 4 ref.
- Holden, A. N. G., S. V. Fowler, et al. (1992). "Invasive weeds of amenity land in the UK: biological control--the neglected alternative." Aspects of applied biology **29**: 325-332.
- Hurle, H. v. K. (2004). Community experiments in Baden-Wurttemberg in 2004. [German], Berichte aus dem Fachgebiet Herbologie der Universitat Hohenheim. Fachgebiet Herbologie Universitat Hohenheim Stuttgart Germany: 113.
- Ito, M., K. Ueki, et al. (1982). "Studies on the total vegetation control in railroad. 1. Major weeds and factors affecting their distribution. [Japanese]." Weed Research, Japan **27**(1): 41-48.
- Jennings, V. M., R. S. Fawcett, et al. (1977). "Weed control: Japanese polygonum (Polygonum cuspidatum Sieb. and Zuce.)." Apr **762**(2).

- Kidd, H. and D. Shaw (2000). "Japanese knotweed - the world's largest female!" Pesticide Outlook **11**(3): 99-100.
- Kister, C., I. Huguet, et al. (2005). "Japanese knotweed *Fallopia japonica*: control trials in Paris Region, France. [French]
Une envahissante le long des voies: essais pour la maîtrise de la renouée du Japon le long du réseau ferroviaire de la RATP." Phytoma **583**: 52-56.
- Kowarik, I. and H. Schepker (1998). Plant invasions in northern Germany: Human perception and response. Plant Invasions: Ecological Mechanisms and Human Responses: 109-120.
- Locandro, R. R. (1978). "Weed watch. Japanese bamboo, 1978." Weeds Today **9**(4): 21-22.
- Locandro, R. R. (1984). The distribution of *Polygonum cuspidatum* Sieb. and Zucc., in Western Europe. Comptes rendus du 7^{eme} colloque international sur l'ecologie, la biologie et la systematique des mauvaises herbes. Paris, France, Coloma/Ewrs: Vol.1, 133-137.
- Lynn, L. B., R. A. Rogers, et al. (1979). Response of woody species to glyphosate in northeastern states, Proceedings Northeastern Weed Science Society.. 1979. Volume 33 336-342.
- Martin, B. P. Japanese knotweed (*Reynoutria japonica* Houtt.) ecology and control. A review of literature and current practice, Japanese knotweed (*Reynoutria japonica* Houtt.) ecology and control. A review of literature and current practice.. Hampshire County Council Planning Department Winchester UK: undated. 35. 9 ref.
- Nashiki, M., T. Nomoto, et al. (1986). "Effect of natural conditions and management of pastures on weed invasion in cooperative livestock farms in Japan. [Japanese]." Weed Research, Japan **31**(3): 221-227.
- National Rivers, A. (1994). Guidance for the control of invasive plants near water courses : Japanese Knotweed, Giant Hogweed, Himalayan Balsam. [S.I.] Great Britain., National Rivers Authority.
- Neal, J. C. (1990). "Weeds in the landscape: Japanese knotweed or Mexican bamboo." Long Island horticulture news. June **1990**: 6.
- Palmer, C. G., D. F. Reid, et al. (1988). "A review of forestry trials with a formulation of triclopyr, dicamba and 2,4-D."
- Palmer, J. P. (1990). Japanese knotweed (*Reynoutria japonica*) in Wales. Biology and control of invasive plants. Moorhead & Laing Ltd, Ruthin, Clwyd, Richards: 96-109.
- Palmer, J. P. (1994). *Fallopia japonica* (Japanese knotweed) in Wales, Ecology and management of invasive riverside plants.. John Wiley & Sons Ltd Chichester UK: 1994. 159-171. 5 ref.
- Pridham, A. M. S. and A. Bing (1975). "Japanese-bamboo." Plants & gardens. Summer **31**(2): 56-57.
- Roblin, E. (1988). "Chemical control of Japanese knotweed (*Reynoutria japonica*) on river banks in South Wales." Aspects of applied biology **16**: 201-206.
- Roblin, E. (1994). Alien invasive weeds - an example of National Rivers Authority sponsored research, Ecology and management of invasive riverside plants.. John Wiley & Sons Ltd Chichester UK: 1994. 189-193. 8 ref.
- Schnitzler, A. and S. Muller (1998). "Ecology and biogeography of plants which invade Europa: The annoying knotweed from Japan (*Fallopia japonica* and *F. sachalinensis*)

- Ecology and biogeography of highly invasive plants in Europe: giant knotweeds from Japan (*Fallopia japonica* and *F. sachalinensis*). [French]
- Ecologie et biogéographie de plantes hautement invasives en Europe: les renouées géantes du Japon (*Fallopia japonica* et *F. sachalinensis*)." Revue d'Ecologie (La Terre et la Vie) **53**(1): 3-39 or 38?
- Scott, R. and R. H. Marrs (1984). "Impact of Japanese knotweed and methods of control." Aspects of applied biology **1984**: 291-296.
- Scott, R., I. Nature Conservancy Council, et al. (1988). A review of Japanese knotweed control, Nature Conservancy Council, Information and Library Services.
- Seiger, L. A. (1993). The ecology and control of *Reynoutria japonica* (*Polygonum cuspidatum*), THE GEORGE WASHINGTON UNIVERSITY: 132.
- Seiger, L. A. and H. C. Merchant (1997). "Mechanical control of Japanese knotweed (*Fallopia japonica* Houtt.! Ronse Decraene): Effects of cutting regime on rhizomatous reserves." Natural Areas Journal **17**(4): 341-345.
- Simmonds, N. W. (1945). "*Polygonum L. em. Gaertn.*" The Journal of Ecology **33**(1): 117-120.
- Smith, R. C. (1990). "*Polygonum cuspidatum* var. *compactum*." American nurseryman **172**(2): 142.
- Soper, D. (2001). "Japanese knotweed [3]." British Wildlife **12**(4): 302-303.
- Stensones, A. and R. P. Garnett (1994). Controlling invasive weeds using glyphosate, Ecology and management of invasive riverside plants.. John Wiley & Sons Ltd Chichester UK: 1994. 183-188. 14 ref.
- Stokes, T. (2001). "Glasgow in a knot." Trends in Plant Science **6**(9): 404.
- Stypinski, P. (1977). "Nowe stanowiska *Polygonum sachalinense* Schm. i *P. cuspidatum* Sieb. et Zucc. na Warmii i Mazurach." Fragmenta floristica et geobotanica **23**(1): 3-16.
- Thain, N. B. (1991). A novel technique for the control of deep rooted woody and herbaceous perennial weeds in non-crop areas using tebuthiuron pellets, Proceedings of the Brighton Crop Protection Conference Weeds.. 1991. Vol. 3 1153-1158.
- Urbancic-Zemljic, M. and V. Skerlavaj (1999). Is Japanese knotweed (*Reynoutria japonica* Houtt.) a problem in Slovenia? [Slovenian], Zbornik predavanj in referatov 4. Slovenskega Posvetovanja o Varstvu Rastlin v Portorožu od 3. do 4. Marca 1999.. Drustvo za varstvo rastlin Slovenije Ljubljana Slovenia 1999. 85-90. 7 ref.
- Wade, M., S. Hathaway, et al. (2003). Achieving co-ordinated control of *Fallopia japonica*: a comparison of case studies in Swansea and Cornwall, UK. Plant Invasions: Ecological Threats and Management Solutions: 405-415.
- Welsh Development, A. (2001). The control of japanese knotweed in construction and landscape contracts : model specification. Pontypridd, WDA.
- Willoughby, I. (1996). Noxious weeds, Research Information Note - Forestry Authority Research Division. Forestry Commission Edinburgh UK: 1996. 274 8. 6 ref.
- Wyss, G. S. (1998). "Dangerous invaders - ornamental plants as problem weeds. [German]
- Gefährliche Invasoren - Zierpflanzen als Problemunkrauter." Agrarforschung **5**(3): 133-134.

- Young, R. G. and E. C. Aharrah (1984). NATURAL CONTROL OF JAPANESE FLEECEFLOWER (POLYGONUM CUSPIDATUM) ON MINED LAND. University of Kentucky, Office of Engineering Services, (Bulletin) UKY BU.
- Young, R. G., T. R. Sitler, et al. (1982). An investigation of Japanese fleecflower (Polygonum cuspidatum) planted on strip mines in Clarion and Venango Counties, Pennsylvania. Proceedings, 1982 Symposium on Surface Mining, Hydrology, Sedimentology and Reclamation. D. H. Graves. Lexington, Kentucky, University of Kentucky: 143-152.
- Zwoelfer, H. (1973). "Possibilities and limitations in biological control of weeds." Bulletin, Organisation Europeenne et Mediterraneenne pour la Protection des Plantes **3**(3): 19-30.