

Supplementary material

Characteristics of included studies

The characteristics of studies included in the meta-analyses are detailed in review. Note that these references are included in the list below along with studies that were rejected upon reading at full text (reasons for rejection were not recorded).

References retrieved from electronic searching assessed at full text

(ADAS), A. C. (2001). The effect of ESA management prescriptions on vegetation change, wildlife and livestock performance on moorland. Series Title: Upland Management Technical Guideline 1. Wolverhampton, ADAS Consulting.

(ADAS), A. D. a. A. S. (1974). Bracken and its control. Advisory Leaflet 190.

(CAB), C. A. B. (1985). Bracken: control. (Annotated Bibliography) 1973-84. Series Title: CAB Annotated Bibliography G579.

(EN), E. N. (1995). National Lowland Heathland Programme: bracken control. Series Title: Lowland Heathland Management Series, Publication info: Peterborough, 1995.

(NYMNP), N. Y. M. N. P. (1992). North York Moors National Park moorland seminar 1992.

Agency, E. (80). Aerial spraying with asulam to control bracken., Guidance notes for Environment Agency Staff, Environment Agency.

Agency, E. (2000). Using Asulox for Bracken Control. Phase 1 Scoping Study. M. Johns and K. Hendry. Bristol, Environment Agency. R&D Technical Report P389.

Agriculture, N. o. S. C. o. (1974). Investigation of Grassland Weeds: Bracken (Research Investigations and Field Trials 1973-74): 131-133.

Agriculture, N. o. S. C. o. (1975). Bracken: Annual Report for 1973-1974. Aberdeen. U.K., North of Scotland College of Agriculture. Annual Report for 1973-1974, North of Scotland College of Agriculture.

Alcock, N. L. and K. W. Braid (1928). "The control of bracken." The Scottish Forestry Journal 42(2): 68-73.

Al-Jaff, D. M. A., G. T. Cook, et al. (1982). "The effect of glyphosate on frond regeneration, bud development and survival, and storage rhizome starch content in bracken." Annals of Applied Biology 101(2): 323-329.

ANDERSON, P. (1988). Bracken: A review of its role and status in the moorlands of the Peak District National Park., Corporate Author: Nature Conservancy Council (NCC). Moorland Management Project Steering Group.

ANDREWS, J. (1990). "Management of lowland heathlands for wildlife." *British Wildlife*, 1(6), 336-346.

Anon (1975). Control of eastern bracken (*P. aquilinum* var. *laticulum*). Research Branch Report. Canadian Department of Agriculture.

Anon (1983). Bracken and its control. Alnwick: Ministry of Agriculture, Fisheries and Food: 8pp.

Arends, L. and R. Velthuis (1990). Control of bracken (*Pteridium esculentum*) in Australian pastures with boom spray application of BRUSH-OFF Brush Controller. Bracken Biology and Management. J. A. Thomson and R. T. Smith. Sydney, Australian Institute of Agricultural Science: 299-302.

Atkinson, T. P. (1986). Bracken on the Malvern Hills: the influence of topographic and management factors on early season emergence and biomass. Bracken: Ecology, land use and control technology. R. T. Smith and J. A. Taylor. Carnforth, Lancs., Parthenon Publishing Group: 195-204.

AULD, M., DAVIES, S., PICKESS, B. (1992). Restoration of lowland heaths in Dorset. *RSPB Conservation Review*, 6, 68-73.

Babiker, A. G. T. and H. J. Duncan (1974). "Penetration of bracken fronds by asulam as influenced by the addition of surfactant to the spray solution and by pH." *Weed Research* 14: 375-377.

Babiker, A. G. T. and D. H.J. (1975). "Mobility and breakdown of asulam in the soil and the possible impact on the environment." *Biological Conservation* 8: 97-104.

BACKSHALL, J. (1999). "Managing bracken in the English uplands." *Enact*, 7(2), 7-9.

Baker, B. (2001). "National Management Plan maps strategy for controlling invasive species." *Bioscience* 51(2): 92.

Ball, R. W. E. and W. J. McCavish (1980). The use of Asulam for the control of *Pteridium aquilinum* in forestry, Nottingham, *Weed Control in Forestry*.

Ball, R. W. E., R. B. Pink, et al. (1974). Some environmental aspects of the use of Asulam for bracken control in upland areas, Brighton: 59-66.

Balneaves, J. and C. Perry (1982). "Long-term control of gorse/bracken mixtures for forest establishment in Nelson." *New Zealand Journal of Forestry* 27: 219-225.

Bates, G. H. (1940). "A method for the application of sodium chlorate to bracken." *Journal of the Land Agents Society* 39: 187-189.

Beaumont, A. G. Cutting experiments in the control of bracken and other aspects of management at Ruislip local nature reserve. Ruislip, London.

Berry, R. A. (1917). "Bracken, utilisation and eradication." Bull. West of Scot. Agr. Coll. 80: 179-193.

Birch, C. P. D. (2001). "The influence of position on genet growth: a simulation of a population of bracken (*Pteridium aquilinum* (L.) Kuhn) genets under grazing." *Evolutionary Ecology* 15(4-6): 463-483.

Birch, C. P. D., N. Vuichard, et al. (2000). "Modelling the effects of patch size on vegetation dynamics: bracken (*Pteridium aquilinum* (L.) Kuhn) under grazing." *Annals of botany* 85: 63-76.

Birnie, R. V. (1985). "An assessment of the bracken problem in relation to hill farming in Scotland." *Soil Use And Management* 1(2): 57-60.

Birnie, R. V. and D. R. Miller (1986). *The bracken problem in Scotland: a new assessment using remotely sensed data. Bracken: Ecology, land use and control technology.* R. T. Smith and J. A. Taylor. Carnforth, Lancs., Parthenon Publishing Group: 43-56.

BITTERLI, C. (1990). *Bracken Pteridium aquilinum: problems and control.* Harrogate.

Bostock, J. L. (1980). "The effect of spraying and re-spraying bracken (*Pteridium-aquilinum* L Kuhn) in heathland, with Asulox." *Bulletin D Ecologie* 11(3-4): 717-723.

Bostock, J. L. (1982). *Heathland management problems and bracken control in Cannock Chase Country Park.* Manchester, University of Manchester, School of Geography. Cannock Chase Country Park Plan: Technical Report No.9.

Bowers, M. A. (1993). "Influence of herbivorous mammals on old-field plant community: years 1-4 after disturbance." *Oikos* 67: 129-141.

Braid, K. W. (1933). "Herbicides with special reference to sodium chlorate and its effect on bracken." *Scottish Farmer* 41(2131): 1484.

Braid, K. W. (1935). "The eradication of bracken by cutting." *Scottish Journal of Agriculture* 18(2): 121-124.

Braid, K. W. (1937). "The bracken eradication problem." *Agricultural Progress* 14(1): 29-39.

Braid, K. W. (1939). *Armaments for the war on bracken.* Farmer and Stock-Breeder.

Braid, K. W. (1939). "Experiments in bracken cutting." *Scottish Journal of Agriculture* 22(3): 1-11.

- Braid, K. W. (1939). "Studies in bracken and experiments on its control." Proceedings of the Royal Philosophical Society of Glasgow 64: 1-8.
- Braid, K. W. (1940). "The eradication of bracken." Scottish Journal of Agriculture 23: 31-36.
- Braid, K. W. (1947). "Bracken eradication." Journal of the Ministry of Agriculture 54: 112-115.
- Braid, K. W. (1948). "Bracken control - artificial and natural." Journal of the British Grass Society 3: 181-189.
- Braid, K. W. (1952). "Bracken - a botanist's play-thing and an agricultural pest." Glasgow Naturalist 16(3-4): 61-67.
- Braid, K. W. (1957). "Bracken eradication." Transactions of the Royal Highland and Agricultural Society of Scotland: 1-18.
- Braid, K. W. (1959). Bracken: a review of the literature. Hurley, Berkshire, Commonwealth Agricultural Bureaux.
- Breach, T. (1986). Bracken fern control with livestock; Te Wera Forest. Proceedings of the Agroforestry Symposium. P. Maclaren. Rotorua, New Zealand, Forest Research Institute: 76-84.
- Brennan, S. and J. Brennan (1999). The bracken controller: Instructions for construction of a modified chain harrow. Sorrell, Tasmania, S and J Brennan.
- Brown, I. W. and P. Wathern (1986). Bracken control and land management in the Moel Famau Country Park, Clwyd, North Wales. Bracken: Ecology, land use and control technology. R. T. Smith and J. A. Taylor. Carnforth, Lancs., Parthenon Publishing Group: 369-378.
- Brown, K. R. and P. S. Evans (1973). "Animal treading. A review of the work of the late D. B. Edmond." New Zealand Journal of Experimental Agriculture 1: 217-226.
- Brown, R. R. R. (?). Bracken Management handbook - Intergrated Bracken Management. A guide to best practice., Rhone-Poulenc.
- Brown, R. W. (1995). Regeneration option on bracken control sites. Bracken: An Environmental Issue. R. T. Smith and J. A. Taylor. Leeds, International Bracken Group. Special publication No.2: 160-165.
- Bullock, J. M. and N. R. Webb (1995). "Responses to severe fires in heathland mosaics in Southern England." Biological Conservation 73(3): 207-214.
- Burge, M. N. and R. C. Kirkwood (1992). "The control of bracken." Critical Reviews in Biotechnology 12(4): 299-333.

Burgess, N. D., C. E. Evans, et al. (1990). "The management of lowland heath for nightjars at Minsmere, Suffolk, Great Britain." *Journal of Environmental Management* 31: 351-359.

Burgess, N. D. E., C.E. (1989). Management techniques for the control of bracken, RSPB.

Burn, A. (1999). Aerial spraying using Asulam: buffer zones. EN advisory note, June 1999. Peterborough, English Nature.

Cadbury, C. J. (1976). "Botanical implications of bracken control." *Botanical Journal of the Linnean Society* 73(1-3): 285-294.

CADBURY, C. J. (1992). Grazing and other management of upland vegetation: a review with special reference to birds., Royal Society for the Protection of Birds (RSPB).

CADBURY, J. (1993). "Grazing and other management of upland vegetation for birds in the UK." *RSPB Conservation Review*, 7, 12-20.

Catchpole, A. H. (1985). "Effect of a non-ionic surfactant on the uptake and translocation of asulam-C-14 in bracken under field conditions." *Proceedings of the Royal Society of Edinburgh Section B- Biological Sciences* 86: 462.

CHADWICK, L. (1982). *In search of heathland.*, Durham: Dobson Books,.

CHARLES, R., WIGHTMAN, S., HAMMOND, M., (eds). (2001). *Moorland research review 1995-2000.*, North York Moors National Park Authority.

Clement, B. and J. Touffet (1990). "Plant strategies and secondary succession on Brittany heathlands after severe fire." *Journal of Vegetation Science* 1: 195-202.

Cody, W. J. and C. W. Crompton (1975). "Pteridium aquilinum (L.) Kuhn., The biology of Canadian weeds." *Canadian Journal of Plant Science* 55(15): 1059-1072.

Cole, D. N. (1995). "Experimental trampling of vegetation. 2. Predictors of resistance and resilience." *Journal of Applied Ecology* 32: 215-224.

College, N. o. S. A. (1975). *Bracken. Annual Report for 1973-1974.* Aberdeen. U.K.

Commission, C. (1982). *Cannock Chase Country Park plan: technical reports.* Series Title: CCP 154 (Technical Reports).

Conway, E. (1949). "The autecology of the bracken (*Pteridium aquilinum* L. Kuhn): The germination of the spore, and the development of the prothallus and the young sporophyte." *Proceedings of the Royal Society of Edinburgh B* 63: 325-343.

Conway, E. (1954). "How the bracken plant reacts to treatment." *N.A.A.S. Quarterly Review* 25: 1-15.

- Conway, E. (1957). "Spore Production in Bracken (*Pteridium Aquilinum* (L.) Kuhn)." *The Journal of Ecology* 45(1): 273-284.
- Conway, E. (1959). "The bracken problem." *Outlook on Agriculture* 2(4): 158-167.
- Conway, E. (1959). "Effects of substituted phenoxy-compounds and other translocated herbicides on the rhizome of bracken." *Nature* 184: 1416.
- Conway, E. (1960). *Considerations in judging control methods of Pteridium aquilinum*, Brighton: 187-190.
- Conway, E. and J. D. Forrest (1957). *Chemical treatment of bracken*, Brighton: 255-268.
- Conway, E. and J. D. Forrest (1961). *Chemical Treatment of Bracken: A review of recent experimental work on the reactions of the common Bracken fern (*Pteridium aquilinum*) to foliar and soil applications of some chemical herbicides.*, Info missing. B.8.
- Conway, E. and J. D. Forrest (1961). "The effects of 4-chlorophenoxyacetic acid on the rhizome of *Pteridium aquilinum* (L.) Kuhn." *Weed Research* 1: 114-130.
- Cook, G. T., N. H. Stephen, et al. (1981). "Influence of ammonium thiocyanate on scorching and control of bracken (*Pteridium-aquilinum*) by Amitrole." *Weed Science* 29(2): 196-200.
- Cook, G. T., N. H. Stephen, et al. (1982). "Fundamental-studies in bracken control - the use of additives to enhance herbicide uptake and translocation." *Proceedings of the Royal Society of Edinburgh Section B- Biological Sciences* 81: 97-109.
- CORBETT, K. F., MOULTON, N.R. (1998). *Sand lizard Species Recovery Programme: First year (1994-95) report.*, English Nature Research Reports 134.
- Cottrell, H. J. and B. J. Heywood (1965). "Benzenesulphonylcarbamates: New Herbicides." *Nature* 207(4997): 655-656.
- Council, N. C. (1986). *The use of herbicides on nature reserves.* A. S. Cooke. Peterborough, Nature Conservancy Council. 14.
- Crompton, G. and J. Sheail (1975). "The historical ecology of Lakenheath Warren in Suffolk, England: a case study." *Biological Conservation* 8: 299-313.
- Daniels, R. E. (1981). *The Growth Strategy of Bracken*, Natural Environment Research Council, Institute of Terrestrial Ecology. Annual Report 1981: 70-71.
- Daniels, R. E. (1985). "Studies in the growth of *Pteridium-aquilinum* (L) Kuhn (Bracken) .1. Regeneration of rhizome segments." *Weed Research* 25(5): 381-388.

Daniels, R. E. (1986). "Studies in the growth of *Pteridium-aquilinum* (L) Kuhn (Bracken) .2. Effects of shading and nutrient application." *Weed Research* 26(2): 121-126.

Davies, G. E., P. Newbould, et al. (1979). "The effect of controlling bracken (*Pteridium aquilinum* (L.) Kuhn) on pasture production." *Grass and Forage Science* 34: 163-171.

Davies, W. I. C. (1970). Experiments using dicamba granules for the control of *Pteridium aquilinum* (L.) Kuhn and subsequent sowing of seeds mixture, Brighton: 513-518.

DAVIS, B. N. K., ed. (1990). *Pesticide drift and impact.*, Institute of Terrestrial Ecology (ITE).

Digby, J. (1995). The pattern of regeneration of bracken following herbicide treatment. *Bracken: An Environmental Issue*. R. T. Smith and J. A. Taylor. Leeds, International Bracken Group: 155-159.

Dolman, P., M and W. J. Sutherland (1992). "The ecological changes of Breckland grass heaths and the consequences of management." *Journal of Applied Ecology* 29: 402-413.

DORMOR, I. (1991). Hothfield Common Local Nature Reserve: pre-grazing vegetation survey and post-grazing monitoring., *English Nature (EN)*. South East Region.

Dover, P. A. (1974). "Improvement of bracken infested land." *British Grassland Society's Winter Meeting*: 90.

Dumas, Y. and A. Gama (1998). Effects of herbicidal bracken control on floristic changes in accordance with environmental factors, Sault-saint Marie, Ontario, Canada, Ministry of Natural Resources, Ontario Forest Research Institute.

Edinburgh, T. R. S. o. (1982). *Bracken in Scotland*. Proceedings of the Royal Society of Edinburgh Section B- Biological Sciences.

Egler, F. E. (1948). "2,4-D Effects in Connecticut Vegetation, 1947." *Ecology* 29(3): 382-386.

Egler, F. E. (1949). "Herbicide Effects in Connecticut Vegetation, 1948." *Ecology* 30(2): 248-256.

Elmore, H. W., D. Webb, et al. (1989). "Effects of sodium selenite on the growth of bracken fern root callus." *Annals of botany* 64(3): 289-291.

Embetec (1990). *Bracken Pteridium aquilinum. Problems and Control*. Harrogate, Embetec.

- Erskine, D. S. C. (1960). An interim report on bracken control trials, Brighton: 209-214.
- Erskine, D. S. C. (1968). Experimental work in the chemical control of bracken 1958-1968, Brighton: 488-492.
- ESTATE, B. (1988). Modern Moorland Management. One day seminar at Bollihope Estate, Co. Durham.
- Evans, L. S. and A. C. Conway (1980). "Effects of acidic solutions on sexual reproduction of *Pteridium aquilinum*." *American Journal of Botany* 67: 866-875.
- Fagan, R., A. D. McQuinn, et al. (1990). Environmental and spray factors influencing control of bracken (*Pteridium esculentum*) by boom spray applications of BRUSH-OFF brush controller in Australia. *Bracken Biology and Management*. J. A. Thomson and R. T. Smith. Sydney, Australian Institute of Agricultural Science: 303-308.
- Farnworth, J. and G. M. Davies (1968). A progress report on the use of paraquat, picloram and dicamba on bracken dominated hill pasture, Brighton: 493-497.
- Farnworth, J. and G. M. Davies (1974). "The application of picloram-14C to bracken." *Weed Research* 14: 397-399.
- Farnworth, J. and G. M. Davies (1974). "The improvement of bracken dominated hill pasture using herbicides, reseeding, fertilisers and cutting." *Journal of Agricultural Science* 83: 557-562.
- Farnworth, J. and G. M. Davies (1974). "The response of hill bracken and the associated pasture to applications of picloram and dicamba." *Weed Research* 14: 401-404.
- FARRELL, L., ed (1983). *Heathland management.*, Nature Conservancy Council (NCC). Chief Scientist Directorate.
- Fetvadjeva, N., B. Benkov, et al. (1983). "A new method of applying herbicides for bracken control." *Mechanizing Agriculture* 33: 23-24.
- Fetvadjeva, N. and P. I. Petrov (1986). *Bracken control in the Bulgarian uplands. Bracken: Ecology, land use and control technology.* R. T. Smith and J. A. Taylor. Carnforth, Lancs., Parthenon Publishing Group: 379-386.
- FISHWICK, W. P. (1997). An assessment of the effects of spraying as a method of controlling the spread of bracken *Pteridium aquilinum* in the Forest of Bowland. BSc. Report produced under the College English Nature Links (CEL) Scheme., Liverpool John Moores University.
- Fletcher, W. W. (1959). Some recent developments in bracken control. *Scottish Farmer*.
- Fletcher, W. W. (1978). "Bracken - past and present." *Transactions of the Botanical Society of Edinburgh* 42: 1-10.

Fletcher, W. W. and R. C. Kirkwood (1979). The bracken fern (*Pteridium aquilinum* (L.) Kuhn; its biology and control. The experimental biology of ferns. A. F. Dyer. London, Academic Press: 519-636.

Fomin, A. V. (1911). "Pteridium." *Materially dlia flory Kavkaza* 34(8): 160-163.

FRESHNEY, F. (?). The Dartmoor pony: grazing behaviour and potential use within conservation grazing schemes., Dartmoor National Park Authority.

Fryer, J. D. and R. J. Makepeace (1977). *Weed Control Handbook*. vol 1: Principles. Oxford, Blackwell Scientific Publications.

Gama, A. and Y. Dumas (2000). Vegetation cover changes after chemical control: an example. Bracken fern: toxicity, biology and control. J. A. Taylor and R. T. Smith. Leeds, International Bracken Group: 180-182.

Garrett-Jones, R. (1969). "Bracken regression on an east Suffolk heath." *Suffolk Natural History* 15: 59-61.

Gaskin, R. E., N. A. Davenport, et al. (1986). Preliminary screening of asulam and glyphosphate - surfactant formulations for control of bracken (*Pteridium esculentum*). Bracken: Ecology, land use and control technology. R. T. Smith and J. A. Taylor. Carnforth, Lancs., Parthenon Publishing Group: 413-420.

Gaskin, R. E. and J. A. Zabkiewicz (1990). Foliar uptake and translocation of metsulfuron in bracken (*Pteridium esculentum*) as influenced by seasonal growth. Bracken Biology and Management. J. A. Thomson and R. T. Smith. Sydney, Australian Institute of Agricultural Science: 269-275.

Gerrard, S., H. Quinnell, et al. (2000). The Dartmoor Archaeology and Bracken Project - Interim Report for the 2000 Season. Devon, The Dartmoor Archaeology and Bracken Project, Chumleigh.

Ghorbani, J., Das, P.M., Das, A.B., Hughes, J.M., Mcallister, H.A., Pallai, S.K., Pakeman, R.J., Marrs, R.H. & Le Duc, M.G. (submitted). "Effects of restoration treatments on the diaspore bank under dense *Pteridium* stands in the UK." *Applied Vegetation Science*.

Gimingham, C. H. (1992). *The lowland heathland management handbook*. Peterborough, English Nature.

Gliessman, S. R. (1978). "The establishment of bracken following fire in tropical habitats." *American Fern Journal* 68(2): 41-44.

Gordon, G. P. (1916). "Bracken - life history and eradication." *Transactions of the Highland and Agricultural Society of Scotland*: 92-106.

Gray, K. L. (1998). Asulam toxicity to fern species native to Britain. MSc. Thesis, University of Manchester, UK.

Group, I. B. (1990). Bracken: ecology, land use and control technology. Carnforth, Lancs., Parthenon Publishing.

Group, I. B. (1999). Bracken perceptions and bracken control. Leeds, International Bracken Group. Special publication No. 3.

Group, I. B. (2000). Bracken fern: toxicity, biology and control, Manchester, International Bracken Group, Special publication No. 4.

HAGGAR, R. J. (1988). Report on bracken control research, Bronydd Mawr SSSI, 1986/87., Nature Conservancy Council (NCC), Welsh Plant Breeding Station.

Hamilton, L. J. (1990). Evaluation of metsulfuron methyl for bracken control. Bracken Biology and Management. J. A. Thomson and R. T. Smith. Sydney, Australian Institute of Agricultural Science: 291-297.

Harradine, A. (1990). The bracken problem in southern Tasmania. Bracken Biology and Management. J. A. Thomson and R. T. Smith. Sydney, Australian Institute of Agricultural Science: 298.

Harrison, C. (1981). "Recovery of Lowland Grassland and Heathland in Southern England from Disturbance by Seasonal Trampling." Biological Conservation 19: 119-130.

HAWKINGS-BYASS, N. (1999). "Aerial bracken control." Enact, 7(2), 14-17.

Hawkings-Byass, N. (2000). The efficient execution of bracken control by helicopter in the UK. Bracken fern: toxicity, biology and control. J. A. Taylor and R. T. Smith. Leeds, International Bracken Group: 175-179.

Helliwell, D. R. (1986). Bracken clearance and potential for afforestation. Bracken: Ecology, land use and control technology. R. T. Smith and J. A. Taylor. Carnforth, Lancs., Parthenon Publishing Group.

Heywood, B. J. (1982). "Bracken control by Asulam." Proceedings of the Royal Society of Edinburgh 81(B): 111-116.

Hill, M. O. P., R.J. (1993). Modelling species change during ecological succession. Swindon, Report of the Institute of Terrestrial Ecology, 1992-1993. Natural Environment Research Council: 25-27.

Hinshalwood, A. M. (1986). Factors influencing the absorption, translocation and biochemical action of asulam in bracken (*Pteridium aquilinum* (L.) Kuhn), Strathclyde.

Hinshalwood, A. M. and R. C. Kirkwood (1988). "The effect of simultaneous application of ethephon or 2,4-D on the absorption, translocation and biochemical-action of Asulam in bracken fern (*Pteridium-Aquilinum* (L) Kuhn)." Canadian Journal of Plant Science 68(4): 1025-1034.

- HOBBS, R. J. (1982). " Research work on Trust reserves." Tern. Norfolk Naturalists' Trust Newsletter, 10, 1-8.
- Hodgson, G. L. (1960). Dalapon, 4-CFA and amino triazole for the control of bracken - an interim report, Brighton: 215-231.
- Hodgson, G. L. (1962). Herbicides on bracken - the influence of date of application, Brighton: 397-399.
- Hodgson, G. L. (1964). Chemical control of bracken. Oxford, Agricultural Research Council Weed Research Organization. 3.
- Hodgson, G. L. (1964). "Sodium 3,6-dichloro-2-methoxybenzoate for the control of bracken (*Pteridium aquilinum* (L.) Kuhn): Results of preliminary trials." Weed Research 4: 167-168.
- Hodgson, G. L. and C. Donaldson (1966). Herbicides on bracken: trials with dicamba and picloram, Brighton: 360-361.
- Hodkinson, H. D. (1974). The use of a glyphosate salt for weed control in amenity and non-cropped areas, Brighton: 1003-1013.
- Holloway, S. M. (1995). The control of bracken on the North York Moors National Park with specific reference to the rhizome system. Bracken: An Environmental Issue. R. T. Smith and J. A. Taylor. Leeds, International Bracken Group: 148-154.
- Holroyd., J., Parker., C. and Rowlands, A. (1970). "Asulam for the control of bracken." Proceedings of the 10th British weed control conference 1: 371-376.
- Holroyd., J., and Thornton., M. E. (1978). "Factors influencing the control of bracken with asulam." Weed Research 18: 181-186.
- Hornsby, M. (1990). Bracken-eating caterpillar may save sheep farmers. The Times, 17 / 09 / 1990. London.
- Horrill, A. D., J. Dale, et al. (1978). Asulam - its effects of selected plants, plant communities and animals. CST Report No. 174, Nature Conservancy Council.
- Horsnail, G. B. (1986). A comparison of methods of control of bracken regrowth following aerial application of Asulam in Northern Britain. Bracken: Ecology, land use and control technology. R. T. Smith and J. A. Taylor. Carnforth, Lancs., Parthenon Publishing Group: 425-430.
- HOUSE, T. (1996). Vegetation survey of Canford Heath, from aerial photographs of the years 1947, 1979 and 1996 to establish major areas of habitat change.
- HUDSON, P., NEWBORN, D. (?). manual of red grouse and moorland management. Publication info: Fordingbridge: Game Conservancy Trust, 1995, Fordingbridge: Game Conservancy Trust, 1995.

HUGHES, I. (1996). A study of the regeneration effects on Dersingham Nature Reserve, a recently cleared heath woodland in North Norfolk. BA (Hons) Environmental Studies degree., University of Humberside.

HURFORD, C. (1993). A baseline survey to monitor the effects of scrub clearance on vegetation at Ogmores Down, June 1992. CCW Species and Monitoring Report 92/2/6, Countryside Council for Wales (CCW). Species and Monitoring Branch.

Jackson, L. P. (1975). "Asulam for control of Bracken fern." Research report Canada Weed Committee Eastern Section 269.

Jackson, L. P. (1981). "Asulam for control of eastern bracken fern in Lowbush Blueberry Fields." Canadian Journal of Plant Science 61(2): 475-477.

Jacob, P. J. P., R.J. (1991). COBRA - A model for the COntrol of BRACKen.

Johnson, J., N. V. Hardwick, et al. (1995). Management of a heather/bracken interface for the long-term control of bracken and regeneration of heather. Bracken: An Environmental Issue. R. T. Smith and J. A. Taylor. Leeds, International Bracken Group: 197-198.

Johnson, P. N. (2001). "Vegetation recovery after fire on a southern New Zealand peatland." New Zealand Journal of Botany 39(2): 251-267.

Joice, R. and J. Norris (1962). Further studies of the chemical control of bracken, Brighton: 407-414.

Jones, I. and B. Mickelwright (1995). Bracken control aftercare: heather regeneration in the North Peak ESA. Bracken: An Environmental Issue. R. T. Smith and J. A. Taylor. Leeds, International Bracken Group: 199.

JOY, J., comp. (1994). Bracken management for fritillary butterflies in the West Midlands and Gloucestershire., Butterfly Conservation. West Midlands Branch.

Keary, I. P., C. Thomas, et al. (2000). "The effects of the herbicide Asulam on the gametophytes of *Pteridium aquilinum*, *Cryptogramma crispa* and *Dryopteris filix-mas*." Annals of botany 85(Supplement B): 47-51.

Kilngman, G. (1961). Weed control as a science. New York, John Wiley and Sons.

Kirkwood, R. C. (1961). The control of bracken - a progress report on herbicide and post-spraying management trials, Brighton: 201-208.

Kirkwood, R. C. (1962). The control of bracken - an interim report on further trials with amitrole, 4CPA and 4CPA/MCPA mixture, Brighton: 401-406.

Kirkwood, R. C. and L. Archibald (1986). The rhizome as a target site for the control of bracken using foliage-applied herbicides. Bracken: Ecology, land use and control technology. R. T. Smith and J. A. Taylor. Carnforth, Lancs., Parthenon Publishing Group: 341-350.

Kirkwood, R. C. and W. W. Fletcher (1961). The chemical control of Bracken. Auchincruive, Ayr, The West of Scotland Agricultural College.

Kirkwood, R. C. and A. Hinshalwood (1985). "Recent studies on the biology of bracken and the mode of action of herbicides used in its control." Proceedings of the Royal Society of Edinburgh Section B- Biological Sciences 86: 179-185.

Kirkwood, R. C., P. Veerasekaran, et al. (1982). "Studies on the mode of action of Asulam in bracken (*Pteridium- aquilinum* L Kuhn)." Proceedings of the Royal Society of Edinburgh Section B- Biological Sciences 81: 85-96.

Kirkwood, R. C. A., L. (1986). The rhizome as a target site for the control of bracken using foliage-applied herbicides. Bracken: Ecology, Land Use and Control Technology. E. R. T. S. J. A. Taylor: pp.341-350.

Lawrie, J. (1994). "Tolerance of young bracken plants from 3 different sites, to the herbicide Tribenuron-methyl." Annals of Applied Biology 124: 62-63.

Lawrie, J., T. M. West, et al. (1992). "A method for studying growth and development of bracken using micro-plots, to aid control strategies." Aspects of Applied Biology 29: 443-450.

Lawson, H. M. (1964). The control of bracken fern with 4-amino-3,5,6-trichloropicolinic acid, Brighton: 887-890.

Le Duc, M. G., Pakeman, R.J., Marrs, R.H., Paterson, S. & Putwain, P.D. (1996). Integrated bracken control and vegetation restoration, Report to Ministry of Agriculture, Fisheries and Food.

Le Duc, M. G., Pakeman, R.J., Bartsch, S. & Marrs, R.H. (1997). Factors affecting vegetation succession following bracken control. Species Dispersal and Land Use Processes. Proceedings of the 6th International Association for Landscape Ecology Conference, Coleraine.

Le Duc, M. G., Pakeman, R.J., Marrs, R.H. & Putwain, P.D. (1999). Integrated bracken control and vegetation restoration: Ongoing assessment with follow-up treatments., Report to Ministry of Agriculture, Fisheries and Food.

Le Duc, M. G., Marrs, R.H. & Pakeman, R.J. (2000). "The success of techniques for bracken control compared over several years and between experimental sites." Aspects of Applied Biology 58: 129-136.

Le Duc, M. G., Pakeman, R.J., Putwain, P.D. & Marrs, R.H. (2000). The variable responses of bracken fronds to control treatments in Great Britain. Bracken Fern: Toxicity, Biology and Control. J. A. T. R. T. Smith, International Bracken Group Special Publication. Number 4: 184.

Le Duc, M. G., Pakeman, R.J., Putwain, P.D. & Marrs, R.H. (2000). "The variable responses of bracken fronds to control treatments in the UK." Annals of Botany Supplement B 85: 17-29.

Le Duc, M. G., Pakeman, R.J. & Marrs, R.H. (2000). "Vegetation changes after treatment for bracken (*Pteridium aquilinum*) control by herbicide, on upland and marginal land in Great Britain." *Journal of Environmental Management* 58: 147-160.

Le Duc, M. G., Pakeman, R.J. & Marrs, R.H. (2001). Detecting the driving variables of vegetation change at the landscape scale. *Vegetation and Ecosystem Functions*. 44th IAVS Symposium, Freising-Weihenstephan.

Le Duc, M. G., Pakeman, R.J. & Marrs, R.H. (2003). "Changes in the bracken rhizome system subjected to long-term experimental treatment." *Journal of Applied Ecology* 40: 508-522.

Le Duc, M. G., Pakeman, R.J. & Marrs, R.H. (in press). "Extracting information from noisy survey data on temporal change in vegetation following disturbance." *Ecological Modelling*.

Le Duc, M. G., R. J. Pakeman, et al. (2000). "Vegetation development on upland and marginal land treated with herbicide, for bracken (*Pteridium aquilinum*) control, in Great Britain." *Journal of Environmental Management* 58(2): 147-160.

Le Duc, M. G., R. J. Pakeman, et al. (2003). "Changes in the rhizome system of bracken subjected to long-term experimental treatment." *Journal of Applied Ecology* 40(3): 508-522.

Le Duc, M. G., R. J. Pakeman, et al. (1997). Integrated bracken control and vegetation restoration. Final report to the Ministry of Agriculture Fisheries and Food, UK.

Le Duc, M. G., R. J. Pakeman, et al. (1994). Integrated bracken control and vegetation restoration - interim report, Institute of Terrestrial Ecology.

Le Duc, M. G., R. J. Pakeman, et al. (1999). Integrated bracken control and vegetation restoration: ongoing assessment with follow-up treatments. Report to the Ministry of Agriculture, Fisheries and Food, University of Liverpool, UK.

Le Duc, M. G., R. J. Pakeman, et al. (2000). "The variable responses of bracken fronds to control treatments in Great Britain." *Annals of botany* 85(B): 17-29.

Lee, H. C. (1982). Aspects of the ecology of bracken removal from upland pasture. PhD Thesis, Sunderland Polytechnic, UK.

Lee, H. C., J. A. Cooke, et al. Some ecological implications of bracken removal from upland pastures using the herbicide Asulam.

Lee, H. C., J. A. Cooke, et al. (1982). Bracken regrowth in upland pasture following Asulam treatment, Brighton: 961-966.

Lee, H. C., J. A. Cooke, et al. (1986). The structure of a grazed bracken (*Pteridium aquilinum* (L.) Kuhn) community. Bracken: Ecology, land use and control technology. R. T. Smith and J. A. Taylor. Carnforth, Lancs., Parthenon Publishing Group: 205-214.

Lemon, P. C. (1968). "Effects of Fire on an African Plateau Grassland." *Ecology* 49(2): 316-322.

LEWIS, N., and others (1997). "Bracken breaking: a bruising battle." *EN Enact*, 5(3), 19-22.

Lhoste, J., F. Vernie, et al. (1984). Control of *Pteridium aquilinum* (L.) Kuhn. with 4-amino-3,5,6-trichloro-picolinic acid. Neuilly, France, Laboratoire des pesticides.

LIDDLE, M. J., CHITTY, L.D. (1981). "The nutrient-budget of horse tracks on an English lowland heath." *Journal of Applied Ecology*, 18(3), 841-848.

Lockwood, J. G., D. K. Lyall, et al. (1986). Water balance studies in moorland bracken with reference to changes following bracken clearance. *Bracken: Ecology, land use and control technology*. R. T. Smith and J. A. Taylor. Carnforth, Lancs., Parthenon Publishing Group: 273-285.

LOWDAY, J. (1983). "Bracken control at Weeting Heath." *Norfolk Naturalists Trust Newsletter*, 13, 5-6.

Lowday, J. E. (1977). *Bracken Dossier*.

LOWDAY, J. E. (1978). *Bracken and scrub control on lowland heaths*. Interim report 1978., Institute of Terrestrial Ecology (ITE).

LOWDAY, J. E., MARRS, R.H. (1980). *Bracken and scrub control on lowland heath*. Institute of Terrestrial Ecology. Annual Report, 1979, 98.

Lowday, J. E. (1983). "Frost damage to emerging fronds during bracken cutting experiments." *Transactions of the Botanical Society of Edinburgh* 44: 151-155.

Lowday, J. E. (1984). "The Effects of Cutting and Asulam on the Frond and Rhizome Characteristics of Bracken (*Pteridium Aquilinum* (L.) Kuhn)." *Aspects of Applied Biology* 5: 275-281.

LOWDAY, J. E. (1984). "The restoration of heathland vegetation after control of dense bracken by asulam." *Aspects of Applied Biology*, 5, 283-290.

Lowday, J. E. (1985). "Asulam Applied by Rope Wick Applicator for Controlling Scattered Bracken on A Grassland Nature-Reserve." *Annals of Applied Biology* 106: 90-91.

Lowday, J. E. (1986). A comparison of the effects of cutting with those of the herbicide Asulam on the control of bracken. *Bracken: Ecology, land use and control technology*. R. T. Smith and J. A. Taylor. Carnforth, Lancs., Parthenon Publishing Group: 359-368.

Lowday, J. E. (1986). Restoration of *Calluna* heathland following bracken clearance. *Bracken: Ecology, land use and control technology*. R. T. Smith and J. A. Taylor. Carnforth, Lancs., Parthenon Publishing Group: 233-238.

Lowday, J. E. (1987). "The effects of cutting and Asulam on numbers of frond buds and biomass of fronds and rhizomes of bracken *Pteridium-aquilinum*." *Annals of Applied Biology* 110(1): 175-184.

Lowday, J. E. and K. H. Lakhani (1987). "The effects of cutting pre-treatments on the performance of Asulam on bracken (*Pteridium aquilinum*)." *Annals of Applied Biology* 111: 607-616.

Lowday, J. E. and R. H. Marris (1992). "Control of bracken and restoration of heathland: I. Control of bracken." *Journal of Applied Ecology* 29(1): 195-203.

Lowday, J. E. and R. H. Marris (1992). "Control of bracken and the restoration of heathland.III. Bracken Litter disturbance and heathland restoration." *Journal of Applied Ecology* 29: 212-217.

Lowday, J. E., R. H. Marris, et al. (1983). "Some of the effects of cutting bracken (*Pteridium aquilinum* (L.) Kuhn) at different times during the summer." *Journal of Environmental Management* 17: 373-380.

Macleod, A. (1982). "The bracken problem in the highlands and islands." *Proceedings of the Royal Society of Edinburgh* 81(B): 11-18.

Macleod, A. (1985). *Weeds of the hills and uplands*. Aryll, Scotland, West of Scotland Agricultural College. 30.

MAFF (1983). *Bracken and its control*. Leaflet 190. London, HMSO.

MARRS, R. H., LOWDAY, J.E. (1980). *Bracken and scrub control on lowland heathlands*., Institute of Terrestrial Ecology (ITE).

MARRS, R. H., LOWDAY, J.E. (1981). *Bracken and scrub control on lowland heaths*. Interim report., Institute of Terrestrial Ecology (ITE).

MARRS, R. H. (1984). "The use of herbicides for nature conservation." *Aspects of Applied Biology*, 5, 265-274.

Marris, R. H. (1985). "The effects of potential bracken and scrub control herbicides on lowland *Calluna* and grass heath communities in East-Anglia, UK." *Biological Conservation* 32(1): 13-32.

MARRS, R. H. (1985). "The use of Krenite to control birch on lowland heaths." *Biological Conservation*, 32, 149-164.

Marris, R. H. (1987). "Studies on the conservation of lowland *Calluna* heaths. I. Control of birch and bracken and its effects on heath vegetation." *Journal of Applied Ecology* 24: 163-175.

Marris, R. H. (1987). "Studies on the conservation of lowland *Calluna* heaths. II. Regeneration of *Calluna*, and its relation to bracken." *Journal of Applied Ecology* 24: 177-189.

MARRS, R. H. (1988). "The relationship between the *Calluna* regeneration cycle and weed invasion." *Aspects of Applied Biology*, 16, 265-270.

Marrs, R. H. (1988). "Vegetation changes on lowland heaths and its relevance for conservation management." *Journal of Environmental Management* 27: 127-149.

Marrs, R. H. (1989). *Harden Moor enquiry: proof of evidence*, Institute of Terrestrial Ecology (Natural Environment Research Council).

MARRS, R. H. (1989). "Management of lowland heaths." Institute of Terrestrial Ecology. Annual Report, 1986/87, 89-91.

Marrs, R. H., Pakeman, R.J. & Lowday, J.E. (1993). "Control of bracken and the restoration of heathland. V. Effects of bracken control treatments on the rhizome and its relationship with frond performance." *Journal of Applied Ecology* 30: 107-118.

Marrs, R. H., Pakeman, R.J. & Lowday, J.E. (1995). *Bracken control and heathland restoration in Breckland. Bracken: An Environmental Issue*. R. T. S. J.A.Taylor, Leeds University Press: 166-172.

Marrs, R. H., Pakeman, R.J., Le Duc, M.G. & Paterson, S. (1997). "Bracken invasion in Scotland." *Botanical Journal of Scotland* 49: 347-356.

Marrs, R. H., Johnson, S.W. and Le Duc, M.G. (1998). "Control of bracken and the restoration of heathland 6. The response of bracken fronds to 18 years of continued bracken control or six years of control followed by recovery." *Journal of Applied Ecology* 35 35: 479-490.

Marrs, R. H., Johnson, S.W. and Le Duc, M.G. (1998). "Control of bracken and the restoration of heathland 7. The response of rhizomes to 18 years of continued bracken control or six years of control followed by recovery." *Journal of Applied Ecology* 35: 748-757.

Marrs, R. H., Le Duc, M.G., Mitchell, R.J., Goddard, D., Paterson, S. & Pakeman, R.J. (2000). *Ecology of bracken: its role in succession and implications for control. Bracken Fern: Toxicity, Biology and Control*. J. A. T. R. T. Smith, International Bracken Group Special Publication. Number 4: 184.

Marrs, R. H., Le Duc, M.G., Mitchell, R.J., Goddard, D., Paterson, S. & Pakeman, R.J. (2000). "The ecology of bracken: its role in succession and implications for its control." *Annals of Botany*, 85 Supplement B: 3-16.

MARRS, R. H., M. J. Added author: HICKS, et al. (1986). "Losses of lowland heath through succession at four sites in Breckland, East Anglia, England." *Biological Conservation*, 36, 19-38.

MARRS, R. H. and J. E. Added author: LOWDAY (1983). *Management of lowland heaths. Final report. NCC CST Report 491*, Institute of Terrestrial Ecology (ITE).

Marrs, R. H. and A. Britton (2000). "Conservation problems on Breckland heaths: from theory to practice." *Biological Conservation* 95(2): 143-151.

Marrs, R. H. and A. J. Frost (1996). "Techniques to reduce the impact of asulam drift from helicopter sprayers on native vegetation." *Journal of Environmental Management* 46(4): 373-393.

Marrs, R. H., A. J. Frost, et al. (1993). "Determination of buffer zones to protect seedlings from the effects of glyphosate spray drift." *Agriculture, Ecosystems and Environment* 45: 283-293.

Marrs, R. H., A. J. Frost, et al. (1992). "Aerial applications of asulam - a bioassay technique for assessing buffer zones to protect sensitive sites in Upland Britain." *Biological Conservation* 59(1): 19-23.

Marrs, R. H. and M. J. Hicks (1986). *Studies on the dynamics of bracken in Breckland. Bracken: Ecology, land use and control technology.* R. T. Smith and J. A. Taylor. Carnforth, Lancs., Parthenon Publishing Group: 183-194.

Marrs, R. H. and M. J. Hicks (1986). "Study of vegetation change at Lackenheath Warren: a re-examination of A. S. Watt's theories of bracken dynamics in relation to succession and vegetation management." *Journal of Applied Ecology* 23: 1029-1046.

Marrs, R. H., S. W. Johnson, et al. (1998). "Control of bracken and restoration of heathland. VIII. The regeneration of the heathland community after 18 years of continued bracken control or 6 years of control followed by recovery." *Journal of Applied Ecology* 35(6): 857-870.

Marrs, R. H., S. W. Johnson, et al. (1998). "Control of bracken and the restoration of heathland. VII. The response of bracken to 18 years of control or six years of control and followed by recovery." *Journal of Applied Ecology* 35: 748-757.

Marrs, R. H. and M. G. Le Duc (2000). "Identifying the factors controlling vegetation change in long-term experiments designed to control bracken and restore heathland community in Breckland, UK." *Applied Vegetation Science* in press.

Marrs, R. H. and J. E. Lowday (1982). *Bracken and scrub control on lowland heaths*, Institute of Terrestrial Ecology (Natural Environment Research Council). ITE Project 599. Interim report to the Nature Conservancy Council.

Marrs, R. H. and J. E. Lowday (1992). "Control of bracken and the restoration of heathland .II. Regeneration of the heathland community." *Journal of Applied Ecology* 29(1): 204-211.

Marrs, R. H., J. E. Lowday, et al. (1992). "Control of bracken and the restoration of heathland .IV. Effects of bracken control and heathland restoration treatments on nutrient distribution and soil chemistry." *Journal of Applied Ecology* 29(1): 218-225.

Marrs, R. H. and R. J. Pakeman (1990). *Bracken distribution and management: progress report*, Institute of Terrestrial Ecology.

- Marrs, R. H. and R. J. Pakeman (1995). Bracken invasion: lessons from the past and prospects for the future. Heaths and moorland: cultural landscapes. D. B. A. H. A. J. U. M. B. Thompson. Edinburgh, HMSO: 180-193.
- Marrs, R. H. P., R.J. (1993). "Bracken." *Enact*, 1(2) 1(2): 6-7.
- Martin, D. J. (1968). Bracken control trials in west Scotland, Brighton: 1242-1244.
- Martin, D. J. (1976). "Control of bracken." *Botanical Journal of the Linnean Society* 73(1-3): 241-246.
- Martin, D. J., G. H. Williams, et al. (1972). The effect of asulam on bracken frond number, rhizome viability, and frond carbohydrate ratios, Brighton: 331-334.
- Martin, R. J. (1977). "Control of bracken in pasture with asulam." *Weed Research* 17: 49-54.
- Mason, P. M. (1994). A study of land use and vegetation at Senta., Aberystwyth.
- McCreath, J. B. (1982). "Some reflections and projections on bracken control." *Proceedings of the Royal Society of Edinburgh* 81(B): 135-143.
- McKelvie, A. D. and E. B. Scragg (1973). "The control of bracken by asulam." *Scottish Agriculture* 51: 474-480.
- McNaughton, E. J. (1959). "The chemical control of bracken." *Outlook on Agriculture* 2: 150.
- Meusel, H., E. Jager, et al. (1965). *Pteridium aquilinum (L.) Kuhn. Ver gleichende chronologie der zentraleuropaischen flora*, VEB Verlag Jera.
- MICHAEL, N. (1993). "The lowland heathland management booklet, version 1.0." *English Nature Science*, No. 11.
- Millard, W. A. and J. Stubbs (1941). "Eradication of bracken." *Journal of Ministry of Agriculture and Fisheries* 48: 11-15.
- Miller, D. R., Birnie, R.V. & Pakeman, R.J. (2000). Study tour discussion and conclusions. Bracken Fern: Toxicity, Biology and Control. J. A. T. R. T. Smith, International Bracken Group Special Publication. Number 4: 206-208.
- Miller, D. R., Birnie, R.V. & Pakeman, R.J. (2000). Summary of the Bracken 1999 Study Tour. Bracken Fern: Toxicity, Biology and Control. J. A. T. R. T. Smith, International Bracken Group Special Publication. Number 4: 191.
- Milne Holme, J. H. (1926). "The eradication of bracken." *Scottish Journal of Agriculture* ix.: 123-129.
- Milne Holme, J. H. (1952). "Bracken control - a review of work done on the Buccleuch estates." *Scottish Agriculture* 31(4): 1-5.

- Milton, W. E. J. (1940). "The Effect of Manuring, Grazing and Cutting on the Yield, Botanical and Chemical Composition of Natural Hill Pastures: I. Yield and Botanical Section." *The Journal of Ecology* 28(2): 326-356.
- Milton, W. E. J. and R. O. Davies (1947). "The Yield, Botanical and Chemical Composition of Natural Hill Herbage Under Manuring, Controlled Grazing and Hay Conditions." *The Journal of Ecology* 35(1/2): 65-95.
- Mitchell, B. J. (1968). Control of bracken fern with herbicides, Brighton: 498-501.
- Mitchell, R. J., R. H. Marrs, et al. (1997). "A study of succession on lowland heaths in Dorset, southern England: Changes in vegetation and soil chemical properties." *Journal of Applied Ecology* 34(6): 1426-1444.
- Mitchell, R. J., R. H. Marrs, et al. (1999). "A study of the restoration of heathland on successional sites: changes in vegetation and soil chemical properties." *Journal of Applied Ecology* 36(5): 770-783.
- Mitich, L. W. (1999). "Brackenfern, *Pteridium aquilinum* (L.) Kuhn." *Weed Technology* 13(2): 429-432.
- Müller-Stoll, W. (1949). "Die Wurzelstöcke des Adlersfarns *Pteridium aquilinum* (L.) Kuhn, und ihre Verwertung als Nahrungs- und Futtermittel." *Die Pharmazie* 4(4): 122-137.
- MORGAN, R. K. (1980). "Post-fire plant communities on a lowland heath: Iping Common, West Sussex." *Rogate Papers* No. 3.
- Muller-Stoll, W. R. and K. Michael (1949). "Untersuchungen über die Stoffspeicherung im Rhizom des Adlersfarns, *Pteridium aquilinum* (L.) Kuhn." *Planta* 36: 507-529.
- Munyaradzi, S. T., M. Campbell, et al. (1990). "The potential for bracken control with mycoherbicide formulations." *Aspects of Applied Biology* 24: 169-177.
- Nature, E. (1999). "Upland bracken management." *Enact: managing land for wildlife* 7(2 summer issue).
- NCC (1988). Bracken in Wales: a report prepared by the senior technical officers group, Wales.
- NEWBORN, D., HUDSON, P. (1987). "Bracken and its importance on grouse moors in England." *Game Conservancy. Annual Review*, 18, 154-157.
- Nicholson, I. A. and I. S. Paterson (1976). "The ecological implications of bracken control to plant/animal systems." *Botanical Journal of the Linnean Society* 73(1-3): 269-284.

Nielsen, S. E. and A. Haney (2003). "Vegetation composition, dynamics, and management of a bracken- grassland and northern-dry forest ecosystem." *Environmental Management* 31(6): 810-821.

Nieuwborg, H. V. I. (1982). *Ecological aspects of nature reserve management at St. Cyrus National Nature Reserve.*, Aberdeen.

Ninnes, R. B. (1995). *Heath and bracken on the Quantock Hills, Wales, Aberystwyth.*

Nolle, H. H. (1966). *Experiments with picloram, amitrole and dicamba for bracken control, Brighton: 141-149.*

Norris, J. (1960). *Some aspects of chemical control of bracken, Brighton: 191-200.*

Oinonen, E. (1967). "The correlation between the size of Finnish bracken (*Pteridium aquilinum* (L.) Kuhn.) clones and certain periods of site history." *Acta Forestalia Fennica* 83(2): 1-51.

Oswald, A. K., W. G. Richardson, et al. (1985). *The effects of sulphonyl-urea herbicides on Pteridium aquilinum (bracken) in hill pasture, Brighton: 779-785.*

Oswald, A. K., W. G. Richardson, et al. (1986). *The potential control of bracken by sulphonyl-urea herbicides. Bracken: Ecology, land use and control technology.* R. T. Smith and J. A. Taylor. Carnforth, Lancs., Parthenon Publishing Group: 431-440.

Otani, I., N. Yamamoto, et al. (2000). "Improvement of a Bracken fern (*Pteridium aquilinum* L.) dominated pasture to *Zoysia japonica* Steud. vegetation by aulam application and cutting." *Grassland Science* 46: 296-298.

Page, C. N. (1979). *Experimental aspects of fern ecology. The experimental biology of ferns.* A. F. Dyer. London, Academic Press: 105-140.

Pakeman, R. J., Marrs, R.H. & Hill, M.O. (1993). *Bracken distribution and management: Program Listings. Final report to the Department of the Environment - Volume 3.*, Department of the Environment.

Pakeman, R. J., Marrs, R.H. & Hill, M.O. (1993). *Bracken distribution and management: Report. - Volume 1, Final report to the Department of the Environment.*

Pakeman, R. J. (1993). *BRACON - A model to examine the detailed effects of BRACKEN CONTROL.* In: Pakeman, R.J., Hill, M.O. & Marrs, R.H. *Bracken distribution and management: Program Listings. Final report to the Department of the Environment - Volume 3.* March 1993.

Pakeman, R. J. (1993). *COBRA-X - A model for the CONTROL of BRACKEN - eXtended version.* In: Pakeman, R.J., Hill, M.O. & Marrs, R.H. *Bracken distribution and management: Program Listings. Final report to the Department of the Environment - Volume 3.* March 1993.

PAKEMAN, R. J., MARRS, R.H. (1993). "Infamous plants: bracken." *Biologist*, 40(3), 105-109.

Pakeman, R. J. (1993). REBRA - a model describing the REvegetation after BRACKEN control. In: Pakeman, R.J., Hill, M.O. & Marrs, R.H. Bracken distribution and management: Program Listings. Final report to the Department of the Environment - Volume 3. March 1993.

Pakeman, R. J. (1994). "The control of bracken (*Pteridium aquilinum*) with asulam, its environmental implications and alternatives." *Pesticide Outlook* 5(2): 21-23.

Pakeman, R. J., Marrs, R.H. & Jacob, P.J. (1994). "A model of bracken (*Pteridium aquilinum*) growth and the effects of control strategies and changing climate." *Journal of Applied Ecology* 31: 145-154.

Pakeman, R. J. (1994). A model of bracken growth and its use in vegetation management. Proceedings of the VI International Congress of Ecology.

Pakeman, R. J. (1995). Bracken spread in Great Britain and the fate of sites after control. Swindon, Report of the Institute of Terrestrial Ecology, 1994-1995. Natural Environment Research Council: 70-74.

Pakeman, R. J., Marrs, R.H., Howard, D.C. & Barr, C.J. (1995). Predicting the effects of climate and land-use change on the spread of bracken. Bracken: An Environmental Issue. R. T. S. J.A. Taylor, Leeds University Press: 69-72.

Pakeman, R. J., Marrs, R.H., Howard, D.C., Barr, C.J. & Fuller, R.M. (1996). "The bracken problem in Great Britain; its present extent and future changes." *Applied Geography* 16: 65-86.

Pakeman, R. J. (1997). "Brighter side of bracken." *Enact* 30: 3.

Pakeman, R. J., Le Duc, M.G. & Marrs, R.H. (1997). "Moorland vegetation succession after the control of bracken with asulam." *Agriculture, Ecosystems and Environment* 62: 41-52.

Pakeman, R. J., Le Duc, M.G. & Marrs, R.H. (1998). "An assessment of aerially applied asulam as a method of long-term bracken control." *Journal of Environmental Management* 53: 255-262.

Pakeman, R. J., Le Duc, M.G. & Marrs, R.H. (2000). "Bracken distribution and control methods: their implications for the sustainable management of marginal land in Great Britain." *Annals of Botany* 85(Supplement B): 37-46.

Pakeman, R. J., Marrs, R.H. & Le Duc, M.G. (2000). Bracken distribution in Great Britain: strategies for its control and the sustainable management of marginal land. Bracken Fern: Toxicity, Biology and Control. J. A. T. R. T. Smith, International Bracken Group Special Publication. Number 4: 185.

Pakeman, R. J., Thwaites, R.H., Le Duc, M.G. & Marrs, R.H. (2000). "Vegetation restoration on land previously subject to bracken control by herbicide." *Applied Vegetation Science* 3: 95-104.

Pakeman, R. J., Le Duc, M.G. & Marrs, R.H. (2001). Integrating bracken control and vegetation restoration. *Moorland Research Review 1995-2000*. S. W. M. H. R. Charles. Helmsley, North York Moors National Park Authority: 37-40.

Pakeman, R. J., Thwaites, R.H., Le Duc, M.G. & Marrs, R.H. (2002). "The effects of control methods on bracken encroachment." *Applied Vegetation Science* 5: 203-212.

Pakeman, R. J., Le Duc, M.G. & Marrs, R.H. (2002). "Restoration of vegetation after the control of bracken." *Web Ecology* 3: 6-11.

Pakeman, R. J., M. O. Hill, et al. (1995). "Modelling vegetation succession after bracken control." *Journal of Environmental Management* 43(1): 29-39.

Pakeman, R. J., M. G. Le Duc, et al. (1998). "An assessment of aerially applied asulam as a method of long- term bracken control." *Journal of Environmental Management* 53(3): 255-262.

Pakeman, R. J., M. G. Le Duc, et al. (2000). "Bracken distribution in Great Britain: strategies for its control and the sustainable management of marginal land." *Annals of botany* 85(B): 37-46.

Pakeman, R. J., M. G. LeDuc, et al. (1997). "Moorland vegetation succession after the control of bracken with asulam." *Agriculture Ecosystems & Environment* 62(1): 41-52.

Pakeman, R. J. and R. H. Marrs (1991). An environmental balance sheet for bracken and its control. Monks Wood, UK, Institute of Terrestrial Ecology.

Pakeman, R. J. and R. H. Marrs (1992). "Vegetation development on moorland after control of *Pteridium-aquilinum* with asulam." *Journal of Vegetation Science* 3(5): 707-710.

Pakeman, R. J. and R. H. Marrs (1994). Bracken control and vegetation restoration, literature review. Monks Wood, UK, Institute of Terrestrial Ecology.

Pakeman, R. J. and R. H. Marrs (1994). "The effects of control on the biomass, carbohydrate content and bud reserves of bracken (*Pteridium-aquilinum* (L.) Kuhn), and an evaluation of a bracken growth-model." *Annals of Applied Biology* 124(3): 479-493.

Pakeman, R. J., R. H. Marrs, et al. (1993). Bracken Distribution and Management - volume 1, Institute of Terrestrial Ecology.

Pakeman, R. J., R. H. Marrs, et al. (1993). Bracken distribution and management - volume 2 Technical Reports. Monks Wood, UK, Institute of Terrestrial Ecology. Volume 2.

Pakeman, R. J., R. H. Marrs, et al. (1995). Predicting the effects of climate and landuse change on the spread of bracken. *Bracken: An Environmental Issue*. R. T. Smith and J. A. Taylor. Leeds, International Bracken Group: 69-72.

Pakeman, R. J., R. H. Marrs, et al. (1996). "The bracken problem in Great Britain: its present extent and future changes." *Applied Geography* 16(1): 65-86.

Pakeman, R. J. H., E. (1996). "Heathland seedbanks under bracken *Pteridium aquilinum* (L.) Kuhn and their importance for re-vegetation after bracken control." *Journal of Environmental Management* 47: 329-339.

Pakeman, R. J. M., R.H. (1991). Advantages and disadvantages of the bracken habitat. Swindon, Report of the Institute of Terrestrial Ecology, 1990-1991. Natural Environment Research Council: 19-21.

Pakeman, R. J. M., R.H. (1991). Bracken distribution and management: An Environmental Balance Sheet for Bracken and its Control, Report to Department of the Environment.

Pakeman, R. J. M., R.H. (1992). "The conservation value of bracken, *Pteridium aquilinum* (L.) Kuhn, dominated communities in the UK, and an assessment of the ecological impact of bracken expansion or its removal." *Biological Conservation* 62: 101-114.

Pakeman, R. J. M., R.H. (1992). "The effects of climate change on bracken and its control." *Aspects of Applied Biology*. 29: 309-316.

Pakeman, R. J. M., R.H. (1992). Modelling the responses of bracken stands to cutting, herbicide spray and climate change. Swindon, Report of the Institute of Terrestrial Ecology, 1991-1992. Natural Environment Research Council: 30-32.

Pakeman, R. J. M., R.H. (1992). "Vegetation development on moorland after control of *Pteridium aquilinum* with asulam." *Journal of Vegetation Science* 3: 707-710.

Pakeman, R. J. M., R.H. (1993). "Bracken." *The Biologist* 40: 105-109.

Pakeman, R. J. M., R.H. (1993). "Long-term recovery of bracken (*Pteridium aquilinum* (L.) Kuhn) after asulam spraying." *Annals of Applied Biology* 122: 519-530.

Pakeman, R. J. M., R.H. (1993). Potential effects of climate change on bracken and its control. *Proceedings of Crop Protection in Northern Britain 1993*.

Pakeman, R. J. M., R.H. (1994). "The effects of control on the biomass, carbohydrate content and bud reserves of bracken (*Pteridium aquilinum* (L.) Kuhn), and an evaluation of a bracken growth model." *Annals of Applied Biology* 124: 479-493

Pakeman, R. J. M., R.H. (2001). The development of effective strategies for controlling bracken and restoring vegetation. *Moorland Research Review 1990-1995*. R. C. S. W. S. Rees. Helmsley, North York Moors National Park Authority: 48-53.

Pakeman, R. J. S., H. (2000). Bracken control and vegetation restoration. Bracken Fern: Toxicity, Biology and Control. J. A. T. R. T. Smith, International Bracken Group Special Publication. Number 4: 195-196.

Parker, C. and G. L. Hodgson (1966). Some studies on the fate of picloram and dicamba in soils underlying bracken, Brighton: 614-615.

PARRA, C. (1993). Conservation of the heathlands of Jersey, C.I., University College London (UCL).

PARRY, S. (1992). Reserves management gazetteer and inventory: final draft., Royal Society for the Protection of Birds (RSPB).

Partnership, T. S. U. (2001). Bracken control. A guide to best practice. Galashiels, The Southern Uplands Partnership.

Paterson, S. (1996). Control and modelling of bracken *Pteridium aquilinum* (L.) Kuhn. in Great Britain., PhD Thesis, University of Liverpool, UK.

Paterson, S. (1996). Control and modelling of bracken (*Pteridium aquilinum* (L.) Kuhn) in Great Britain., University of Liverpool. (joint with Prof R.H. Marrs). External: Professor John Good, ITE, Bangor.

Paterson, S., Marrs, R.H. & Pakeman, R.J. (1997). "Efficacy of bracken (*Pteridium aquilinum* (L.) Kuhn) control treatments across a range of climatic zones in Great Britain. A national overview and regional examination of treatment effects." *Annals of Applied Biology* 130: 283-303.

Paterson, S., Pakeman, R.J. & Marrs, R.H. (1997). "Evaluation of a bracken (*Pteridium aquilinum* (L.) Kuhn) growth model and the effects of control strategies across a range of climatic zones in Great Britain." *Annals of Applied Biology*, 130 130: 305-318.

Paterson, S., Pakeman, R.J. & Marrs, R.H. (2000). "Describing vegetation succession after bracken control: Evaluation of the REBRA model." *Journal of Environmental Management* 59: 31-45.

Paterson, S., R. H. Marrs, et al. (1997). "Efficacy of bracken (*Pteridium aquilinum* (L.) Kuhn) control treatments across a range of climatic zones in Great Britain. A national overview and regional examination of treatment effects." *Annals of Applied Biology* 130(2): 283-303.

Paterson, S., R. J. Pakeman, et al. (1997). "Evaluation of a bracken (*Pteridium aquilinum* (L.) Kuhn) growth model in predicting the effects of control strategies across a range of climatic zones in Great Britain." *Annals of Applied Biology* 130(2): 305-318.

Perez, P., A. Lebi, et al. (1994). "Comportamiento agroecológico del *Pteridium aquilinum* en el Estado Tachira, Venezuela." *Rev.Client.UNET (Tachira)* 8: 5-18.

Perez-Inojosa, M. (1995). Estudio de la dinámica del ptaquilósido en el helecho macho (*Pteridium aquilinum*), variedad caudatum, según el nivel altitudinal, Universidad de Los Andes, Mérida, Venezuela. pp 95.

Perez-Inojosa, M. (1995). Estudio de la dinámica del ptaquilósido en el helecho macho (*Pteridium aquilinum*), variedad caudatum, según el nivel altitudinal, Universidad de Los Andes, Mérida, Venezuela. pp 95.

Perring, F. H. and B. G. Gardiner (1976). "The biology of bracken." *Botanical Journal of the Linnean Society* 73(1-3): v-vi.

Perry, R. and J. A. Taylor (1995). Bracken control to achieve biodiversity: the example of Garth. *Bracken: An Environmental Issue*. R. T. Smith and J. A. Taylor. Leeds, International Bracken Group: 200-204.

PETLEY-JONES, R., comp. (1997). Proceedings of a seminar on the management of bracken for endangered fritillary butterflies...held...October 1997 at Brockhole, Windermere.

Petrov, P. (1984). "The effects of glyphosate treatment on bracken in relation to the time of application." *International symposium on classification and utilisation of soils in the mountain regions*, Sofia, Bulgaria.

Petrov, P. (1988). "Restoration of bracken after Asulam treatment." *Plant Science* 6: 99-102.

Petrov, P. (1991). The problem of bracken: theoretically based systems for reclamation of bracken infested natural meadows and pastures, PhD Thesis, Institute of Plant Protection, Sofia, Bulgaria.

Petrov, P., A. Balinova, et al. (1984). Effectiveness and persistence of Asulam, applied at different phases of development of the bracken fern *Pteridium aquilinum* (L.) Kuhn., Sofia.

Petrov, P., N. Fetvadjeva, et al. (1984). "Effect on the grass stand of certain herbicides used against bracken *Pteridium aquilinum* (L.) Kuhn." *Plant Science* 21: 162-168.

Petrov, P. and R. H. Marrs (2001). "The reclamation of bracken-dominated pastures in Bulgaria using asulam and fertilizers." *Grass and Forage Science* 56(2): 131-137.

Petrov, P. and D. Mitev (1990). Herbicide application for control of bracken and subsequent sward regeneration. *Bracken Biology and Management*. J. A. Thomson and R. T. Smith. Sydney, Australian Institute of Agricultural Science: 276.

Petrov, P. and D. Mitev (1995). Bracken control and regeneration experiments in Bulgaria. *Bracken: An Environmental Issue*. R. T. Smith and J. A. Taylor. Leeds, International Bracken Group: 125-129.

Petrov, P. M., R.H. (2000). "Follow up methods for bracken control following an initial glyphosate application: the use of weed wiping, cutting and reseeded." *Annals of Botany* 85;: 31-35.

Phillips, M. J. (1990). *Plant growth regulating properties of sulphonamides and some aspects of phenoxyacetate herbicide photochemistry.*, Glasgow.

Pink, R. B. a. S., C. (1974). "Asulam: further aspects of its use on Bracken." *British Crop Protection Council Symposium Weed control in the Northern Environment:* 150-156.

Preest, D. S. and A. M. Cranswick (1978). *Burn-Timing and Bracken Vigour.*

Ramaley, F. (1940). "Weed Problems of Many Lands." *Ecology* 21(4): 523-524.

REES, S., ed., CHARLES, R., ed. WIGHTMAN, S., ed. (2001). *Moorland research review 1990-1995.*, North York Moors National Park Authority (NYMNP).

Rhone-Poulenc (1992). *A guide to bracken control with Asulox.*, Rhone-Poulenc.

Robinson, N. A. (1973). *Observations on the Effects of Asulam on Native Plants. Report One Year After Spraying*, Nature Conservancy Council- North Regional Office.

Robinson, R. C. (1984). "Systems of bracken control using Asulam." *Aspects of Applied Biology* 5: 321-332.

Robinson, R. C. (1986). *Practical herbicide use for bracken control. Bracken: Ecology, land use and control technology.* R. T. Smith and J. A. Taylor. Carnforth, Lancs., Parthenon Publishing Group: 331-340.

Robinson, R. C. (1999). "Bracken clearance." *Enact* 7(2): 10-13.

Robinson, R. C. (1999). *Methods for achieving successful, extended bracken clearance*, Proceedings at the University of Lancaster, 10 September 1998, Taylor, J A. International Bracken Group, special publication No. 3.: 55 -61.

Robinson, R. C. (2000). *The means to large-scale, effective bracken clearance in the UK. Bracken fern: toxicity, biology and control.* J. A. Taylor and R. T. Smith. Leeds, International Bracken Group: 156-162.

Robinson, R. C. and C. N. Page (2000). *Protection of non-target ferns during extensive spraying of bracken. The bracken problem: risks and challenges.* J. A. Taylor and R. T. Smith. Leeds, The International Bracken Group (IBG).

Robinson, R. C., R. G. Parsons, et al. (2000). "Drift control and buffer zones for helicopter spraying of bracken (*Pteridium aquilinum*)." *Agriculture Ecosystems & Environment* 79(2-3): 215-231.

Robocker, W. C. (1971). "Herbicidal Suppression of Bracken and Effects on Forage Production." *Not Known* 19(5): 538-541.

Rosenberger, G. and W. Heesch (1960). "Adlerfarn *Pteris aquilina* die Ursache des sog. Stallrotes der Rinder (haematuria vesicularis bovis chronica)." *Dtsch. Teirarzneiliche Wochens* 67: 201.

Rousvoal, D. (1981). "Control of the fern *Pteridium-aquilinum* in highland pastures in the Northwest of Cameroon - note on preliminary trials carried out at the Irz Station in Bambui." *Revue D Elevage Et De Medecine Veterinaire Des Pays Tropicaux* 34(1): 101-107.

RSPB (2003). *Bracken Management in the uplands: Farming for wildlife*, RSPB.
Rumsey, F. J., E. Sheffield, et al. (1991). "A re-assessment of *Pteridium aquilinum* (L.) Kuhn in Britain." *Watsonia* 18: 297-301.

Sanchez, A., O. Davila, et al. (2002). "Evaluation of the Metsulfuron in the combat of the bracken FERN (*Pteridium aquilinum*)." *Revista Cientifica-Facultad De Ciencias Veterinarias* 12(4): 286-290.

Science, A. I. o. A. (1990). *Bracken biology and management*, Sydney, Australian Institute of Agricultural Science.

Scragg, E. B. (1982). "The bracken problem and Its control in Northern Scotland." *Proceedings of the Royal Society of Edinburgh Section B- Biological Sciences* 81: 125-134.

Scragg, E. B., A. D. McKelvie, et al. (1974). *Further work on the control of bracken in the north of Scotland*, Brighton: 761-769.

Sharma, S. D. (1995). The effect of surfactant ethylene oxide content on physicochemical, uptake and translocation properties of model herbicides., *Strathclyde*.

Sharma, S. D. and R. C. Kirkwood (1995). The role of non-ionic surfactants as adjuvants for use with systematic herbicides on bracken. *Bracken: An Environmental Issue*. R. T. Smith and J. A. Taylor. Leeds, International Bracken Group: 130-136.

Sheaves, B. J. (1995). *An investigation of certain human health problems associated with bracken fern (*Pteridium quilinum*) environments in the U.K.*, Plymouth.

Sheffield, E. (1984). "Effects of dimethylsulfoxide on the gametophytic and sporophytic phases of *Pteridium-aquilinum* (L) Kuhn." *Annals of botany* 54(4): 531-536.

SIBBETT, N. (1994). *Habitat changes between 1983-5 and 1993 on Sutton and Hollesley Heaths, Suffolk., English Nature (EN). East Region.*

SIGGS, L. W. (1962). "The burning of gorse and bracken in the New Forest." *Entomologist's Record*, 74, 50-51.

Simpson, I. A., D. Parsisson, et al. (1997). "Envisioning Future Landscapes in the Environmentally Sensitive Areas of Scotland." *Transactions of the Institute of British Geographers* 22(3): 307-320.

Sinclair, D. J. and E. M. Yates (1959). "Changes in the Vegetation of Blackdown, Sussex." Transactions and Papers (Institute of British Geographers)(26): 67-77.

Slater, P. A. (1995). The European rabbit *Oryctolagus cuniculus* (L.) on Skomer Island NNR and its effect on the vegetation., Cardiff.

Smith, R. T. (1977). Bracken in Britain: 3. Towards alternative strategies of bracken control with the use of herbicide. Leeds, University of Leeds, School of Geography. Working Paper No. 191. 191.

SMITH, R. T., TAYLOR, J.A. (1994). Bracken: an environmental issue: contributions to an International Conference, Bracken 94, University of Wales, Aberystwyth...July 1994. Series Title: International Bracken Group Special publication; no.2.

Smith, R. T. (1995). Preliminary investigations using biodynamic methods in the control of bracken. Bracken: An Environmental Issue. R. T. Smith and J. A. Taylor. Leeds, International Bracken Group: 141-147.

Smith, R. T. and J. G. Lockwood (1990). Bracken invasion and bracken replacement: guidelines for the prediction of hydrological changes. Bracken biology and management. J. A. Thomson and R. T. Smith. Sydney, Australian Institute of Agricultural Science. Occasional Publication No.40: 175-185.

Smith, R. T. T., J.A. (Eds) (1986). Bracken. Ecology, land use and control technology. Carnforth, The Parthenon Publishing Group.

Smith, W. G. (1928). "Notes on the effect of cutting bracken (*Pteris aquilina* L.)." Transactions of the Botanical Society of Edinburgh 30(1): 3-12.

Smyth, E. P. (1973). "Control of Bracken fern with one foliar application of asulam." Research progress report western society of weed science 9.

Snow, C. S. R. and R. H. Marrs (1997). "Restoration of *Calluna* heathland on a bracken *Pteridium*- infested site in north west England." Biological Conservation 81(1-2): 35-42.

Soper, D. (1972). Review of bracken control experiments with asulam, Brighton: 24-31.

Soper, D. (1986). Lessons from fifteen years of bracken control with Asulam. Bracken: Ecology, land use and control technology. R. T. Smith and J. A. Taylor. Carnforth, Lancs., Parthenon Publishing Group: 351-358.

Sparke, C. J. (1982). Factors effecting the improvement of hill land dominated by bracken *Pteridium aquilinum* (L.) Kuhn. PhD Thesis, University of Glasgow, UK.

Sparke, C. J. (1985). "Effect of after-treatments on sward composition and the establishment of introduced species following the control of bracken." Grass and Forage Science 40(4): 403-409.

Sparke, C. J. and G. H. Williams (1986). Sward changes following bracken clearance. *Bracken: Ecology, land use and control technology*. R. T. Smith and J. A. Taylor. Carnforth, Lancs., Parthenon Publishing Group: 225-232.

Stanton, W. (1990). "A frond farewell to bracken." *New Scientist* 128(1740): 58.
Statham, D. C. (1980). *Bracken Eradication: Second Stage*. York, North York Moors National Park.

Stephen, N. H. (1983). *Studies on the behaviour of bracken control chemicals in plant-soil systems*, Glasgow.

Stephens, R. (1953). *Experimental work on the control of bracken in the West of Scotland*, Brighton: 249-258.

Stevens, S. J. (1990). *Effects of bracken control and heathland restoration treatments on Invertebrates at Cavenham Heath in Breckland, U.K.*, Institute of Terrestrial Ecology.

Stevens, S. J. (1990). *Effects of bracken control and heathland restoration treatments on Invertebrates at Cavenham Heath in Breckland, U.K.*, Institute of Terrestrial Ecology.

Surman, C. (1986). *Bracken fern in New Zealand and its control with Asulam*. *Bracken: Ecology, land use and control technology*. R. T. Smith and J. A. Taylor. Carnforth, Lancs., Parthenon Publishing Group: 407-412.

TAYLOR, J. (1985). "Trouble with bracken." *Geographical Magazine*, 57(6), 330-333.

TAYLOR, J. A., ed. *Bracken perceptions and bracken control in the British uplands: papers given at a meeting held at the University of Lancaster...September 1998*. International Bracken Group Special publication; no.3.

Taylor, J. A. S., R.T. (Eds) (1999). *Bracken Fern: Toxicity, biology and control*. *Proceedings of the international Bracken group conference*. The international Bracken group conference., Manchester, The international Bracken Group.

Thomas, R. W. (1995). *Bracken management in the Peak District - a local code of practice*. *Bracken: An Environmental Issue*. R. T. Smith and J. A. Taylor. Aberystwyth, International Bracken Group: 182-190.

THOMPSON, D. B. A., HESTER, A.J., USHER, M.B., ed (1995). *Heaths and moorland: cultural landscapes*.

THOMSON, J. A., SMITH, R.T. (1990). *Bracken biology and management: papers from an International Conference 'Bracken 89' University of Sydney, July 1989.*, Wahroonga. Occasional Publication No. 40.

Tonsley, A. G. (1965). *Effect of sheep grazing on bracken and mat-grass*. *The British islands and their vegetation vol. 1*. Cambridge, Cambridge University Press.

Tonsley, A. G. (1965). *Pteridietum. The British islands and their vegetation vol. II.* Cambridge, Cambridge University Press.

UNDERHILL, J. C., LILEY, D. (2001). *Proceedings of the Sixth National Heathland Conference, Bournemouth, 17-19 September 2001.*, Sandy: RSPB, 2002.

Veerasekaran, P. (1972). The effect of stage of frond development on the absorption and translocation of asulam in bracken, Brighton: 17-23.

Veerasekaran, P. (1975). The mode of action of Asulam in bracken. PhD Thesis, University of Strathclyde, Glasgow, UK.

Veerasekaran, P. (1976). "Asulam in bracken." *Botanical Journal of the Linnean Society* 73: 247-268.

Veerasekaran, P., Kirkwood, R.C. & Fletcher, W.W. (1978). "Studies on the mode of action of asulam in bracken (*Pteridium aquilinum* (L.) Kuhn). 3. Long term control of field bracken." *Weed Research* 18: 315-319.

Veerasekaran, P., R. C. Kirkwood, et al. (1976). "The mode of action of asulam [methyl (4-aminobenzenesulphonyl) carbamate] in bracken." *Botanical Journal of the Linnean Society* 73(1-3): 247-268.

Veitch, B. (1990). Aspects of Aboriginal use and manipulation of bracken fern. *Bracken biology and management.* J. A. Thomson and R. T. Smith. Sydney, Australian Institute of Agricultural Science. Occasional publication No. 4: 215-226.

Velenovsky, J. (1890). "Poznamky ku morfologii rhizomu kapradin." *Mathematisch-Naturwissenschaftliche Classe* 2(165): 175.

von Kreiner, M., G. M. Stur, et al. (1992). "Heritabilitat und Merkmalskorrelationen von Verhaltensmerkmalen bei vier osterreichischen Brackenrassen." 109: 425-432.

von Ludger, K. (1964). "Untersuchungen uber den Jahreslauf der Frost-, Hitze- und Austrocknungsresistenz von Sporophyten einheimischer Polypodiaceen (Filicinae)." *Flora* 155: 123-166.

Wallace, T. and A. W. Ling (1931). "Report of experiments on the eradication of bracken." *Journal of the Bath and West and Southern Counties Society* 5: 70-91.

Wardman, O. L. and M. R. Thomas (1998). Pesticide usage report 149. Aerial applications, United Kingdom, 1997. London, Ministry of Agriculture, Fisheries and Food.

Wardman, O. L. and M. R. Thomas (1999). Pesticide usage report 158. Aerial applications, Great Britain 1998. London, Ministry of Agriculture, Fisheries and Food.

Wardman, O. L. and M. R. Thomas (2000). "Aerial applications of pesticides in the United Kingdom: 1978-1998." *Pest Management Science* 56(3): 237-244.

- Wasmuth, A. G. (1973a). "The control of Bracken with Asulam." Proceeding 26th New Zealand weed and pest control conference: 7-12.
- Watt, A. S. (1943). "Bracken: the frond and plant." *Journal of Ecology* 31: 99.
- Watt, A. S. (1976). "The ecological status of bracken." *Botanical Journal of the Linnean Society* 73: 217-239.
- Wells, A. J. and J. A. Taylor (2000). Bracken research - what have we achieved? visualising past, present and future. Bracken fern: toxicology, biology and control. J. A. Taylor and R. T. Smith. Leeds, International Bracken Group: 9-13.
- West, T. M. (1992). "Response of bracken plants from different sites to potential new herbicide treatments." *Aspects of Applied Biology* 29: 451-456.
- West, T. M. (1993). "Responses of young bracken plants, from 3 different populations, to the herbicide Tribenuron-methyl." *Annals of Applied Biology* 122: 86-87.
- West, T. M. and R. C. Butler (1991). Potential new herbicides for bracken control in grassland and hill pastures., Fareham, BCPC 661 - 668.
- West, T. M., J. Lawrie, et al. (1995). Responses of bracken and its understorey flora to some sulfonylurea herbicides and asulam, Fareham BCPC 997 - 1002.
- West, T. M. and W. G. Richardson Response of Bracken (*Pteridium Aquilinum*) in Pots to Various Herbicide Treatments: 108-109.
- Whitehead, S. J. (1994). The morphology and physiology of moorland bracken (*Pteridium aquilinum* (L.) Kuhn) and their implications for its control. York, UK, University of York.
- Whitehead, S. J. and J. Digby (1995). Morphological and physiological behaviour of bracken at advancing fronts: implications for control. Bracken: An Environmental Issue. R. T. Smith and J. A. Taylor. Aberystwyth, International Bracken Group: 33-37.
- Wieczorek, V. H. (1972). "Zur Kenntnis der Adler farninsekten Ein Beitrag zum Problem der biologischen Bekämpfung von *Pteridium aquilinum* (L.) Kuhn in Mitteleuropa." *Zeitschrift fuer Angewandte Entomologie* 72: 337-358.
- Williams, G. H. (1974). "The use of glyphosphate in the control of bracken." *British Crop Protection Council Monograph* 9: 157.
- Williams, G. H. (1976). "The biology of weeds in hill pasture." *Annals of Applied Biology*: 345-347.
- Williams, G. H. (1977). "Qualitative effects of asulam and glyphosate on swards dominated by bracken (*Pteridium aquilinum* (L.) Kuhn)." *Journal of the British Grassland Society* 32(149): 155.

Williams, G. H. (1980). Bracken control: a review of progress, 1974 -1979. Auchincruive, The West of Scotland Agricultural College, research and development publication No. 12. 12.

Williams, G. H. (1980). Follow up treatments for control of *Pteridium aquilinum*, Brighton: 423-428.

Williams, G. H. and A. Foley (1975). "Effect of herbicides on bracken rhizome survival." *Annals of Applied Biology* 79: 109-111.

Williams, G. H. and D. Fraser (1979). "The effects of asulam, frond cutting and ground mineral phosphate on the yields of swards dominated by bracken (*Pteridium aquilinum* (L.) Kuhn)." *Grass and Forage Science* 34: 95-100.

Winkworth, J. and L. Hamilton (1986). Investigation of wiping methods for applying chemicals to control bracken fern in pasture. *Bracken: Ecology, land use and control technology*. R. T. Smith and J. A. Taylor. Carnforth, Lancs., Parthenon Publishing Group: 407-412.

Womack, J. G. (1996). Development of a mycoherbicide for bracken control, Strathclyde.

Womack, J. G. and M. N. Burge (1993). "Mycoherbicide formulation and the potential for bracken control." *Pesticide Science* 37: 337-341.

Womack, J. G., G. M. Eccleston, et al. (1995). Progress in the development of a mycoherbicidal formulation for bracken control. *Bracken: An Environmental Issue*. R. T. Smith and J. A. Taylor. Leeds, International Bracken Group: 137-140.

Womack, J. G., G. M. Eccleston, et al. (1996). "A vegetable oil-based invert emulsion for mycoherbicide delivery." *Biological Control* 6(1): 23-28.

WOODROW, W., and others (1996). "Restoring Dorset's heathland: the RSPB Dorset Heathland Project." *RSPB Conservation Review*, 10, 69-81.

WRIGHT, M. (1993). "Bracken versus Brettenham." *EN. Enact*, 1(2), 8-9.

Wynn, J. M. (?). Control of Reproduction Bracken., University of Manchester (joint with Dr E Sheffield, University of Manchester). External: Professor R H Marrs, University of Liverpool.

Young, K. R. and P. W. G. Sale (1995). Economic and environmentally sensitive bracken control in Australian pastures. *Bracken: An Environmental Issue*. R. T. Smith and J. A. Taylor. Leeds, International Bracken Group: 173-178.

Zaman, N. W. P. (1999). Buffer zones - Aerial spraying with asulam to control bracken, *Proceedings at the University of Lancaster*, Taylor, J A, International Bracken Group special publication No. 3: 39 - 48.

