

## Supplementary material

### *Characteristics of included studies*

The characteristics of studies included in the meta-analyses are detailed in review. Note that these references are included in the list below along with studies that were rejected upon reading at full text (reasons for rejection were not recorded).

### *References retrieved from electronic searching assessed at full text*

Adamson, R. S. (1918). "On the Relationships of Some Associations of the Southern Pennines." *The Journal of Ecology* 6(2): 97-109.

Allchin, E. A., P. D. Putwain, et al. (1996). "Burning heathland for management: fire temperatures and vegetative regeneration." *Aspects of Applied Biology* 44: 407-412.

Allen, S. E., C. C. Evans, et al. (1969). "The Distribution of Mineral Nutrients in Soil after Heather-D Burning." *Oikos* 20(1): 16-25.

Al-Tharoon, S. H. A. (1989). "Evaluation of community structure and dynamics in certain widespread types of upland grazings in Scotland." Ph.D., Aberdeen, 40-6037.

ANDERSON, P. (1986). "Accidental moorland fires in the peak district. A study of their incidence and ecological implications." NCC Surveys.

ANDERSON, P. (1988). Bracken: A review of its role and status in the moorlands of the Peak District National Park. Part of the Moorland Management Project. (NCC).

Aspinall, R. J. (1982). "The cycling of nitrogen and phosphate in heather moorland and the effects of management by burning." Ph.D., Hull, 34-1666.

Atherden, M. A. (1976). "The Impact of Late Prehistoric Cultures on the Vegetation of the North York Moors." *Transactions of the Institute of British Geographers* 1(3, Man's Impact on Past Environments): 284-300.

Atkinson, M. D. (1992). "Betula Pendula Roth (B. Verrucosa Ehrh.) and B. Pubescens Ehrh." *The Journal of Ecology* 80(4): 837-870.

Averis, e. a. (2000). The upland vegetation of the Western Isles, Scotland., Scottish Natural Heritage (SNH). Advisory Services: 80.

Ball, M. E. (1974). "Floristic changes on grasslands and heaths on the Isle of Rhum after a reduction or exclusion of grazing." *Journal of Environmental Management* 2(4): 299-318.

Ballantyne, C. K. (1991). "Late Holocene erosion in upland Britain: climatic deterioration or human influence?" *Holocene* 1(1): 81-85.

- Bannister, P. (1965). "Erica Cinerea L." *The Journal of Ecology* 53(2): 527-542.
- Bannister, P. (1966). "Erica Tetralix L." *The Journal of Ecology* 54(3): 795-813.
- Barclay-Estrup, P. (1971). "The Description and Interpretation of Cyclical Processes in a Heath Community: III. Microclimate in Relation to the Calluna Cycle." *The Journal of Ecology* 59(1): 143-166.
- BARNETT, L. K., WARREN, M.S. (1995). "Species action plan: heath fritillary *Mellicta athalia*."
- Bartley, D. D. and C. Chambers (1992). "A Pollen Diagram, Radiocarbon Ages and Evidence of Agriculture on Extwistle Moor, Lancashire." *New Phytologist* 121(2): 311-320.
- Batey, T. (1982). "Nitrogen Cycling in Upland Pastures of the U. K." *Philosophical Transactions of the Royal Society of London. Series B, Biological Sciences* 296(1082, The Nitrogen Cycle): 551-556.
- Bell, J. N. B. and J. H. Tallis (1973). "Empetrum Nigrum L." *The Journal of Ecology* 61(1): 289-305.
- Bennett, K. D., S. Boreham, et al. (1992). "Holocene History of Environment, Vegetation and Human Settlement on Catta Ness, Lunnasting, Shetland." *The Journal of Ecology* 80(2): 241-273.
- Birks, H. H. (1975). "Studies in the Vegetational History of Scotland. IV. Pine Stumps in Scottish Blanket Peats." *Philosophical Transactions of the Royal Society of London. Series B, Biological Sciences* 270(905): 181-226.
- Birks, H. J. B. and B. J. Madsen (1979). "Flandrian Vegetational History of Little Loch Roag, Isle of Lewis, Scotland." *The Journal of Ecology* 67(3): 825-842.
- Blackstock, T. H., D. P. Stevens, et al. (1997). Conservation and management of *Molinia* and *Juncus* pastures in Wales, with reference to agri-environment schemes. Grassland management in Environmentally Sensitive Areas. Proceedings of the British Grassland Society conference held at the University of Lancaster, UK, 23-25 September 1997., British Grassland Society (BGS); Reading; UK: 150-159.
- Bragg, O. M. and J. H. Tallis (2001). "The sensitivity of peat-covered upland landscapes." *Catena* 42(2-4): 345-360.
- BREWSTER, D., HEARN, K.A., JARMAN, R.A. (1975). "A survey of the vegetation of north west Sutherland." NCC CST Report 116.
- BRIDGES, M. (1986). The vegetation of severely burnt heather moorland in the North York Moors National Park. Department of Geography. Leeds, Leeds University.

Bridges, M. K. (1986). "Revegetation of severely burnt heather moorland in the North York Moors National Park." Ph.D., Leeds, 36-5660.

BROWN, A. (1989). Heather burning on Haworth Moor SSSI. An appraisal and prescription. England. North West Region, Nature Conservancy Council (NCC): 16p, 2 maps.

Brown, R. W. (1986). Bracken in the North York Moors: its ecological and amenity implications in national parks. Bracken. Ecology, land use and control technology, Parthenon Publishing Group Ltd.; Carnforth; UK: 77-86.

BULLOCK, D. J. G., S. (1998). The impact, use and control of fire: a joint workshop organised by English Nature and the National Trust. Peterborough., English Nature and the National Trust: 45.

BUSE, A., and others (1998). "Production of a database of unmanaged semi-natural vegetation in the English uplands." Bangor. Project TO8096A5. English Nature Contract.

CADBURY, C. J. (1992). Grazing and other management of upland vegetation: a review with special reference to birds. [and] Site visit supplement., Royal Society for the Protection of Birds (RSPB).

Carlisle, A. and A. H. F. Brown (1968). "Pinus Sylvestris L." The Journal of Ecology 56(1): 269-307.

Cayless, S. M. and R. M. Tipping (2002). "Data on mid-Holocene climatic, vegetation and anthropogenic interactions at Stanshiel Rig, southern Scotland." Vegetation History and Archaeobotany 11(3): 201-210.

CHADWICK, L. J. (1998). A study of the effects of burning on the floristic composition of heathland plant communities, on the Dartmoor National Park. School of Biological Sciences. Swansea, University of Swansea: 51.

Chadwick, M. J. (1960). "Nardus Stricta L." The Journal of Ecology 48(1): 255-267.  
Chapman, S. B., R. J. Rose, et al. (1989). "A Model of the Phosphorus Dynamics of Calluna Heathland." The Journal of Ecology 77(1): 35-48.

CONSULTING, A. (2001). The effect of ESA management prescriptions on vegetation change, wildlife and livestock performance on moorland., Wolverhampton: ADAS Consulting: 19.

Consulting, A. (2001). "Techniques for controlling purple moor-grass (*Molina caerulea*) and other competitive grass species of upland moorland." Upland Management Technical Guideline 2.

Corrigan, H. (1993). "Peatlands and conservations on Islay." Ph.D., Paisley, 45-10609.

Cotton, D. E. and W. H. G. Hale (1994). "Effectiveness of Cutting as an Alternative to Burning in the Management of Calluna-Vulgaris Moorland - Results of an Experimental Field Trial." *Journal of Environmental Management* 40(2): 155-159.

COULSON, J. C., and others (1992). The management of moorland areas to enhance their nature conservation interest., JNCC.

CURRIE, A. (1979). "The vegetation of the Outer Hebrides." *Royal Society of Edinburgh. Proceedings*, 77B, 219-265.

DALE, M. P., CROXTON, P., SWANKIE, L. (2000). A resurvey of Bodmin Moor South: comparing vegetation data from 1981 and 1999. Plymouth, Plymouth University.

Dejong, T. J. and P. G. L. Klinkhamer (1983). "A Simulation-Model for the Effects of Burning on the Phosphorus and Nitrogen-Cycle of a Heathland Ecosystem." *Ecological Modelling* 19(4): 263-284.

Dimbleby, G. W. (1976). "Climate, Soil and Man." *Philosophical Transactions of the Royal Society of London. Series B, Biological Sciences* 275(936, The Early History of Agriculture): 197-208.

Edgell, M. C. R. (1971). "A Preliminary Study of Some Environmental Variables in an Upland Ecosystem: Cader Idris, Merionethshire." *The Journal of Ecology* 59(1): 189-201.

Elgee, F. (1914). "The Vegetation of the Eastern Moorlands of Yorkshire." *The Journal of Ecology* 2(1): 1-18.

ELLIOTT, R. J. (1953). "The effects of burning on heather moors of the south Pennines." Sheffield: University of Sheffield, 1953 PHD.

Equihua Zamora, M. E. (1992). "The ecology of the invasive moss *Campylopus introflexus* in the North York Moors national park." D.Phil., York, 41-10390.

Evans, C. C. and S. E. Allen (1971). "Nutrient Losses in Smoke Produced During Heather-D Burning." *Oikos* 22(2): 149-154.

EVANS, P. (1992). "Buttermere Fells SSSI, heather condition survey." *English Nature (EN). North West Region*.

Fenton, E. W. (1935). "The Transition From Woodland and Moorland to Grassland in the Spey Valley and Elsewhere." *The Journal of Ecology* 23(1): 56-68.

Fenton, E. W. (1939). "The Vegetation of "Screes" in Certain Hill Grazing Districts of Scotland." *The Journal of Ecology* 27(2): 502-512.

Fielding, C. (1993). "Aspects of the ecology of the lepidoptera associated with heather *Calluna vulgaris*." Ph.D., Durham, 44-7807.

FLETCHER, B. S. (1960). "The Beeley Moor fire." Derbyshire Entomological Society (Gnat), 8, 82-83.

GARDNER, S. M., LIEPERT, C., REES, S. (1993). "Managing heather moorland: impacts of burning and cutting on *Calluna* regeneration." Journal of Environmental Planning and Management 36(3): 283-293.

Gardner, S. M. and M. B. Usher (1989). "Insect abundance on burned and cut upland *Calluna* heath." Entomologist 108(3): 147-157.

Garnett, M. H. (1988). "Carbon storage in Pennine moorland and response to change (BL)." Ph.D., Newcastle upon Tyne, 48-6370.

Gear, A. J. (1989). "Holocene vegetation history and the palaeoecology of *Pinus sylvestris* in Northern Scotland." Ph.D., Durham, 40-6341.

Gimingham, C. H. (1949). "The Effects of Grazing on the Balance Between *Erica Cinerea* L. and *Callun Vulgaris* (L.) Hull. In Upland Heath, and Their Morphological Responses." The Journal of Ecology 37(1): 100-119.

Gimingham, C. H. (1960). "*Calluna Salisb.*" The Journal of Ecology 48(2): 455-483.

Gimingham, C. H. (1970). "British Heathland Ecosystems the Outcome of Many Years of Management by Fire." Proceedings Tall Timbers Fire Ecology Conference 10: 293-321.

GIMINGHAM, C. H. (1971). Use and conservation in the light of some ecological effects of management. In : The Scientific management of Animal & Plant Communities for Conservation - 11th Symposium of the British Ecological Society. E. Duffey, & Watt, A.S., Blackwell: 91-103.

Gimingham, C. H. (1972). Ecology of heathlands, New York Barnes and Noble London Chapman and Hall UK: 1972. 266pp. Price: pounds-sterling 4.75. 332 ref.

Gimingham, C. H. (1981). "Moorland Management Advances in the Practical Application of Ecological Research." Botanical Society of Edinburgh Transactions 43(4): 255-262.

Gimingham, C. H. (1985). "Age-related interactions between *Calluna vulgaris* and phytophagous insects." Oikos 44(1): 12-16.

Gimingham, C. H. (1985). "Muirburn."

Gimingham, C. H. (1987). "Harnessing the Winds of Change: Heathland Ecology in Retrospect and Prospect: Presidential Address to the British Ecological Society, December 1986." The Journal of Ecology 75(4): 895-914.

Gimingham, C. H., S. B. Chapman, et al. (1979). European heathlands, Ecosystems of the world. 9. Heathlands and related shrublands. A. Descriptive studies. Elsevier Scientific Publishing Company Amsterdam Netherlands: 1979. 365-413. many ref.

Gimingham, C. H., R. J. Hobbs, et al. (1981). Community dynamics in relation to management of heathland vegetation in Scotland. *Vegetation dynamics in grasslands, heathlands and mediterranean ligneous formations* [Poissonet, P. The Hague Netherlands, Dr. W. Junk: 149-155.

Gong, W. K. and C. H. Gimingham (1984). "Birch regeneration in heath vegetation." *Proceedings of the Royal Society of Edinburgh, B (Biological Sciences)* 85(1/2): 73-81.

Gorham, E., P. M. Vitousek, et al. (1979). "The Regulation of Chemical Budgets Over the Course of Terrestrial Ecosystem Succession." *Annual Review of Ecology and Systematics* 10: 53-84.

Grant, S. A. (1971). "Interactions of Grazing and Burning on Heather-D Moors Part 2 Effects on Primary Production and Level of Utilization." *Journal of the British Grassland Society* 26(3): 173-181.

Grant, S. A., W. J. Hamilton, et al. (1981). "The Responses of Heather-Dominated Vegetation in North-East Scotland to Grazing by Red Deer." *The Journal of Ecology* 69(1): 189-204.

Grant, S. A. and R. F. Hunter (1968). "Interactions of Grazing and Burning on Heather-D Moors and Their Implications in Heather-D Management." *Journal of the British Grassland Society* 23(4): 285-293.

Hale, W. H. G. and D. E. Cotton (1988). "The management of vegetation change in Ilkley Moor." *Aspects of Applied Biology* No.16: 311-316.

HALE, W. H. G. C., D.E. (1993). "Vegetation changes on Ilkley Moor between 1964 and 1984, and possible environmental causes." *Naturalist* 118: 123-134.

Haslam, S. F. I. (1998). "Carbon dynamics in moorland soils (BL)." Ph.D., Dundee, 50-9376.

Haslam, S. F. I., J. A. Chudek, et al. (1998). "Organic matter accumulation following fires in a moorland soil chronosequence." *Global Change Biology* 4(3): 305-313.

Haslam, S. F. I., J. A. Chudek, et al. (1999). "Grass moor communities 20 and 39 years after severe accidental fires." *Botanical Journal of Scotland* 51(1): 39-48.

HAWKSWORTH, D. L. (1974). "Report on the lichen flora of the Peak District National Park (with emphasis on Sites of Special Scientific Interest) [and] Supplement 1: further studies in the Cheshire and Staffordshire parts of the National Park." NCC Internal Report.

Haysom, K. A. and J. C. Coulson (1998). "The Lepidoptera fauna associated with *Calluna vulgaris*: effects of plant architecture on abundance and diversity." *Ecological Entomology* 23(4): 377-385.

- Heal, K. V. (2001). "Manganese and land-use in upland catchments in Scotland." *Science of the Total Environment* 265(1-3): 169-179.
- HEARN, K., ed. (1982). "Moorlands: wild life conservation, amenity an recreation: account of meeting, Buxton, 1982."
- HEARN, K. A., GILBERT, M.G. (1977). The effects of the 1976 drought on sites of nature conservation interest in England and Wales., NCC.
- Henderson, D. J., Lilly, A., Madden, S. and Still, M.J. (1995). Heather moorland monitoring in the Loch Lomond Environmentally Sensitive Area. *Heaths and Moorlands: Cultural landscapes*. D. B. A. Thompson, Hester, A.J. and Usher, M.B. Edinburgh, HMSO. 2: 400.
- HESTER, A. J., SYDES, C. (1991). "Changes in burning of Scottish heather moorland since the 1940s from aerial photographs." NCC CSD Report 1254.
- Hester, A. J. and C. Sydes (1992). "Changes in Burning of Scottish Heather Moorland since the 1940s from Aerial Photographs." *Biological Conservation* 60(1): 25-30.
- Hewson, R. (1984). "Mountain Hare *Lepus-Timidus* Bags and Moor Management." *Journal of Zoology* (London) 204(4): 563-565.
- HEWSON, R. (1988). "Spacing and habitat preference of mountain hares in Shetland." *Journal of Applied Ecology*, 25, 397-407.
- Hobbs, R. (1979). The Nature Conservancy Council, Moor House, 20th annual progress report. The Nature Conservancy Council, Moor House, 20th annual progress report., Nature Conservancy Council.; Alston Cumbria; UK.
- Hobbs, R. J. (1981). "Post-fire succession in heathland communities." Ph.D., Aberdeen, 32-2652.
- Hobbs, R. J. (1984). "Markov-Models in the Study of Post-Fire Succession in Heathland Communities." *Vegetatio* 56(1): 17-30.
- Hobbs, R. J. and C. H. Gimingham (1980). "Some Effects of Fire and Grazing on Heath Vegetation." *Bulletin D Ecologie* 11(3-4): 709-715.
- Hobbs, R. J. and C. H. Gimingham (1984). "Studies on Fire in Scottish Heathland Communities II. Post-Fire Vegetation Development." *The Journal of Ecology* 72(2): 585-610.
- Hobbs, R. J. and C. H. Gimingham (1984). "Studies on Fire in Scottish Heathland Communities: I. Fire Characteristics." *The Journal of Ecology* 72(1): 223-240.
- Hobbs, R. J. and C. H. Gimingham (1987). "Vegetation, Fire and Herbivore Interactions in Heathland." *Advances in Ecological Research* 16: 87-173.

- Hobbs, R. J. and C. J. Legg (1984). "Markov-Models and Initial Floristic Composition in Heathland Vegetation Dynamics." *Vegetatio* 56(1): 31-43.
- Hobbs, R. J., A. U. Mallik, et al. (1984). "Studies on Fire in Scottish Heathland Communities: III. Vital Attributes of the Species." *The Journal of Ecology* 72(3): 963-976.
- Holmes, P. R., D. C. Boyce, et al. (1993). "The Ground Beetle (Coleoptera, Carabidae) Fauna of Welsh Peatland Biotopes - Factors Influencing the Distribution of Ground Beetles and Conservation Implications." *Biological Conservation* 63(2): 153-161.
- Hooper, S. and M. Whitby (1988). *Heather moorland management: an economic assessment*, University of Newcastle upon Tyne Newcastle upon Tyne UK: 1988. xii + 105pp. + app. 9pp. of ref.
- Hope, D., N. Picozzi, et al. (1996). "Effects of reducing sheep grazing in the Scottish Highlands." *Journal of Range Management* 49(4): 301-310.
- Horrill, A. D., V. H. Kennedy, et al. (1995). "The Effect of Heather Burning on the Transfer of Radiocesium to Smoke and the Solubility of Radiocesium Associated with Different Types of Heather Ash." *Journal of Environmental Radioactivity* 29(1): 1-10.
- HORSFIELD, D. (1988). *Nature conservation and management on the Whitendale and Croasdale Farms, Bowland Fells - A report to the North-West Water Authority.*, Nature Conservancy Council (NCC). Chief Scientist Directorate.
- Huang, C. C. (2002). "Holocene landscape development and human impact in the Connemara uplands, western Ireland." *Journal of Biogeography* 29(2): 153-165.
- Hulme, P. D. and A. W. Blyth (1985). "Observations on the Erosion of Blanket Peat in Yell, Shetland." *Geografiska Annaler. Series A. Physical Geography* 67(1/2): 119-122.
- Hunter, R. F. (1962). "Hill Sheep and their Pasture: A Study of Sheep-Grazing in South-East Scotland." *The Journal of Ecology* 50(3): 651-680.
- Huntley, B. and H. J. B. Birks (1979). "The Past and Present Vegetation of the Morrone Birkwoods National Nature Reserve, Scotland: I. A Primary Phytosociological Survey." *The Journal of Ecology* 67(2): 417-446.
- Imeson, A. C. (1971). "Heather-D Burning and Soil Erosion on the North Yorkshire Moors." *Journal of Applied Ecology* 8(2): 537-542.
- Jacquemart, A.-L. (1996). "Vaccinium Uliginosum L." *Journal of Ecology* 84(5): 771-785.
- Jefferies, J. (1986). "The effect of burning on selected biological and physico-chemical properties of surface peat horizons on the North York moors." Ph.D., Exeter, 37-1666.



- Jeffers, J. N. R. (1986). The role of ecosystem theory in upland land use and management. Soil erosion in the European Community. Impact of changing agriculture, A.A. Balkema; Rotterdam; Netherlands: 51-65.
- Jeffreys, H. (1917). "On the Vegetation of Four Durham Coal-Measure Fells." *The Journal of Ecology* 5(3/4): 129-154.
- Kayll, A. J. and C. H. Gimingham (1965). "Vegetative Regeneration of *Calluna Vulgaris* after Fire." *The Journal of Ecology* 53(3): 729-734.
- KENT, M., WATHERN, P. (1980). "Vegetation of a Dartmoor catchment." *Vegetatio*, 43(3), 162-172.
- Kertland, M. P. H. (1928). "The Ecology of Divis." *The Journal of Ecology* 16(2): 301-322.
- Kinako, P. D. S. (1974-75,). "Effects of heathland fires on the micro-habitat and regeneration of vegetation." Ph.D., Aberdeen, 25-7963.
- KINAKO, P. D. S. G., C.H. (1980). "Heather burning and soil erosion on upland heaths in Scotland." *J. Env. Manage.* 10: 277-284.
- King, J. (1960). "Observations on the Seedling Establishment and Growth of *Nardus Stricta* in Burned Callunetum." *The Journal of Ecology* 48(3): 667-677.
- King, J. (1977). Hill and upland pasture. Conservation in Agriculture (Davidson, J.; Lloyd, R., Editors). Wiley & Sons Ltd.; Chichester; UK: 95-119.
- Large, A. R. G. (1989). "Investigations into the extent, distribution and changes in the peatland resources of Counties Fermanagh, Leitrim and Cavan (BL)." D.Phil., New University of Ulster, 48-1327.
- Leach, W. (1931). "On the Importance of Some Mosses as Pioneers on Unstable Soils." *The Journal of Ecology* 19(1): 98-102.
- Leach, W. (1931). "The Vegetation of the Longmynd." *The Journal of Ecology* 19(1): 34-45.
- Legg, C. J., E. Maltby, et al. (1992). "The Ecology of Severe Moorland Fire on the North York Moors: Seed Distribution and Seedling Establishment of *Calluna vulgaris*." *The Journal of Ecology* 80(4): 737-752.
- Lindsay, R. A. (1993). "Peatland conservation-from cinders to Cinderella." *Biodiversity & Conservation* 2(5): 528-540.
- Little, D., E. Farrell, et al. (1997). "Land-use legacies and soil development in semi-natural ecosystems in the marginal uplands of Ireland." *Catena* 30(1): 83-98.
- Loftus, M. C. P. (1994). "The ecology and management of upland vegetation in the Wicklow Mountains (BL)." D.Phil., New University of Ulster, 48-1328.

- Lowe, V. P. W. (1969). "Population Dynamics of the Red Deer (*Cervus elaphus* L.) on Rhum." *The Journal of Animal Ecology* 38(2): 425-457.
- Macdonald, A. J., A. H. Kirkpatrick, et al. (1995). "Regeneration by Natural Layering of Heather (*Calluna-Vulgaris*) - Frequency and Characteristics in Upland Britain." *Journal of Applied Ecology* 32(1): 85-99.
- Macklin, M. G., D. G. Passmore, et al. (1991). "Holocene Alluviation and Land-Use Change on Callaly-Moor, Northumberland, England." *Journal of Quaternary Science* 6(3): 225-232.
- MADDOX, P. (1983). Heather regeneration - Armbboth Fells, notes on monitoring project - October 1983.
- Mallik, A. U. (1982). "Post-fire micro-habitat and plant regeneration in heathland." Ph.D., Aberdeen, 33-5222.
- Mallik, A. U. (1986). "Near-Ground Micro-Climate of Burned and Unburned *Calluna* Heathland." *Journal of Environmental Management* 23(2): 157-171.
- Mallik, A. U. and E. A. FitzPatrick (1996). "Thin section studies of *Calluna* heathland soils subject to prescribed burning." *Soil Use and Management* 12(3): 143-149.
- Mallik, A. U. and C. H. Gimingham (1981). Species Strategies in Heathland Succession Following Fire. Proceedings of the International Botanical Congress.
- Mallik, A. U. and C. H. Gimingham (1983). "Regeneration of Heathland Plants Following Burning." *Vegetatio* 53(1): 45-58.
- Mallik, A. U. and C. H. Gimingham (1985). "Ecological Effects of Heather Burning: II. Effects on Seed Germination and Vegetative Regeneration." *The Journal of Ecology* 73(2): 633-644.
- Mallik, A. U., C. H. Gimingham, et al. (1984). "Ecological Effects of Heather Burning: I. Water Infiltration, Moisture Retention and Porosity of Surface Soil." *The Journal of Ecology* 72(3): 767-776.
- Mallik, A. U., R. J. Hobbs, et al. (1984). "Seed Dynamics in *Calluna-Arctostaphylos* Heath in North-Eastern Scotland." *The Journal of Ecology* 72(3): 855-871.
- Mallik, A. U., R. J. Hobbs, et al. (1988). "Seed-Bed Substrates and Revegetation of *Calluna* Heathlands Following Burning." *Journal of Environmental Management* 27(4): 379-397.
- Mallik, A. U. and A. A. Rahman (1985). "Soil-Water Repellency in Regularly Burned *Calluna* Heathlands - Comparison of 3 Measuring Techniques." *Journal of Environmental Management* 20(3): 207-218.
- Maltby, E. (1980). "The Impact of Severe Fire on *Calluna* Moorland in the North York Moors." *Bulletin D Ecologie* 11(3-4): 683-708.

Maltby, E., C. J. Legg, et al. (1990). "The Ecology of Severe Moorland Fire on the North York Moors: Effects of the 1976 Fires, and Subsequent Surface and Vegetation Development." *The Journal of Ecology* 78(2): 490-518.

Marks, T. C. and K. Taylor (1972). "The mineral nutrient status of *Rubus chamaemorus* L. in relation to burning and sheep grazing." *Journal of Applied Ecology* 9(2): 501-511.

Martin, D. S. J. (1992). "The influence of land management on upland water quality notably the production of soluble colour in supply." Ph.D., Leeds, 42-3646.

MATHESON, S., PILKINGTON, E., THOMAS, S. (1990). North York Moors National Park final report of 1987-1990 habitat survey. NCC Surveys.

McFerran, D. M. (1991). "The impact of burning and grazing on upland vegetation and invertebrate communities in Co. Antrim." Ph.D., Queen's University Belfast, 41-7663.

McFerran, D. M., J. H. McAdam, et al. (1994). "Seed bank associated with stands of heather Moorland." *Irish Naturalists' Journal* 24(12): 480-485.

McFerran, D. M., J. H. McAdam, et al. (1995). "The Impact of Burning and Grazing of Heathland Plants and Invertebrates in Country Antrim." *Biology and Environment- Proceedings of the Royal Irish Academy* 95B(1): 1-17.

McVean, D. N. (1953). "*Alnus Glutinosa* (L.) Gaertn." *The Journal of Ecology* 41(2): 447-466.

McVean, D. N. (1956). "Ecology of *Alnus Glutinosa* (L.) Gaertn: V. Notes on Some British Alder Populations." *The Journal of Ecology* 44(2): 321-330.

McVean, D. N. (1963). "Ecology of Scots Pine in the Scottish Highlands." *The Journal of Ecology* 51(3): 671-686.

McVean, D. N. (1963). "Growth and Mineral Nutrition of Scots Pine Seedlings on Some Common Peat Types." *The Journal of Ecology* 51(3): 657-670.

Meikle, A., S. Paterson, et al. (1999). "Genetic characterization of heather (*Calluna vulgaris* (L.) Hull) subject to different management regimes across Great Britain." *Molecular Ecology* 8(12): 2037-2047.

Miles, J. (1971). "Burning *Molinia*-M Dominant Vegetation for Grazing by Red Deer *Cervus-Elaphus*." *Journal of the British Grassland Society* 26(4): 247-250.

Miles, J. (1981). Problems in heathland and grassland dynamics. Vegetation dynamics in grasslands, heathlands and mediterranean ligneous formations [Poissonet, P. The Hague Netherlands, Dr. W. Junk: 61-74.

Miles, J. (1981). "Problems in heathland and grassland dynamics." *Vegetatio* 46/47: 61-74.

- Miles, J. (1985). The ecological background to vegetation management.
- Miles, J. (1987). "Effects of man on upland vegetation." ITE Symposium, Institute of Terrestrial Ecology, Natural Environment Research Council, UK 23: 7-18.
- Miller, G. R. (1979). "Quantity and Quality of the Annual Production of Shoots and Flowers by *Calluna Vulgaris* in North-East Scotland." *The Journal of Ecology* 67(1): 109-129.
- Miller, G. R. (1980). "The Burning of Heather Moorland for Red Grouse." *Bulletin D Ecologie* 11(3-4): 725-733.
- Miller, G. R. and R. P. Cummins (2001). "Geographic variation in seed-setting by heather (*Calluna vulgaris* (L.) Hull) in the Scottish Highlands." *Journal of Biogeography* 28(8): 1023-1031.
- Miller, G. R. and J. Miles (1970). "Regeneration of Heather-D *Calluna-Vulgaris-D* at Different Ages and Seasons in Northeast Scotland." *Journal of Applied Ecology* 7(1): 51-60.
- Miller, G. R. and A. Watson (1973). "Some effects of fire on vertebrate herbivores in the Scottish Highlands." *Proceedings, Annual Tall Timbers Fire Ecology Conference No.13*: 39-64.
- Miller, G. R. and A. Watson (1978). "Territories and the food plant of individual red grouse. 1. Territory size, number of mates and brood size compared with the abundance, production and diversity of heather." *Journal of Animal Ecology* 47(1): 293-305.
- Milne, J. A. and S. E. Hartley (2001). "Upland plant communities - sensitivity to change." *Catena* 42(2-4): 333-343.
- Mitchell, G. and A. T. McDonald (1995). "Catchment Characterization as a Tool for Upland Water-Quality Management." *Journal of Environmental Management* 44(1): 83-95.
- MOHAMED, B. F. G., C.H. (1970). "The morphology of vegetative regeneration in *Calluna vulgaris*." *New Phytologist* 69: 743-750.
- Moore, D. (1976). "Fire on Heathland." *Nature* 264(5582): 112-113.
- Moore, D. M. (1958). "*Viola Lactea* Sm." *The Journal of Ecology* 46(2): 527-535.
- Moss, R. (1969). "A Comparison of Red Grouse (*Lagopus L. scoticus*) Stocks with the Production and Nutritive Value of Heather (*Calluna vulgaris*)." *The Journal of Animal Ecology* 38(1): 103-122.
- Moss, R. (1989). "Management of Heather for Game and Livestock." *Botanical Journal of the Linnean Society* 101(3): 301-306.

MURRAY, R. B. (1985). *Vegetation management in northern Britain: proceedings of seminar, Peebles, 1985. Vegetation management in northern Britain, Peebles, Cambridge University Press.*

Newman, E. I. (1995). "Phosphorus Inputs to Terrestrial Ecosystems." *Journal of Ecology* 83(4): 713-726.

Nicholson, I. A. and R. A. Robertson (1958). "Some Observations on the Ecology of an Upland Grazing in North-East Scotland with Special Reference to Callunetum." *The Journal of Ecology* 46(2): 239-270.

Ninnes, R. (1990). *Quantock Hills Management plan for dwarf shrub heath., Nature Conservancy Council (NCC): 20.*

Nolan, A. J. and J. S. Robertson (1987). "Regional Trends in Dry and Moist Scottish Moorland Vegetation in Relation to Climate, Soils and Other Ecological Factors." *The Journal of Ecology* 75(4): 1145-1157.

O'Hare, G. P. (1988). "Land cover change in the peak district: a comparative analysis of field survey and remote sensing techniques." *M.Phil., Nottingham, 38-2623.*

Pakeman, R. J. and E. Hay (1996). "Heathland seedbanks under bracken *Pteridium aquilinum* (L) Kuhn and their importance for re-vegetation after bracken control." *Journal of Environmental Management* 47(4): 329-339.

Palmer, S. C. F. (1997). "Prediction of the shoot production of heather under grazing in the uplands of Great Britain." *Grass and Forage Science* 52(4): 408-424.

Palmer, S. C. F. and P. J. Bacon (2001). "The utilization of heather moorland by territorial Red Grouse *Lagopus lagopus scoticus*." *Ibis* 143(2): 222-232.

Pears, N. V. (1967). "Present Tree-Lines of the Cairngorm Mountains, Scotland." *The Journal of Ecology* 55(3): 815-830.

PHILIPS, J. D. P., ed, THOMPSON, D.B.A., ed & GRUELICH, W.H., ed (2001). *Integrated upland management for wildlife, field sports, agriculture and public enjoyment., Battleby, Heather Trust & SNH.*

PICKERING, A. T. (1993). "A study of some invertebrate/plant community relationships within the Kielderhead Conservation Area with particular reference to the management implications." *Newcastle upon Tyne University. Centre for Continuing Education. Submitted in part fulfilment of the Certificate in Nature Conservation.*

Pietikainen, J., O. Kiikkilä, et al. (2000). "Charcoal as a habitat for microbes and its effect on the microbial community of the underlying humus." *Oikos* 89(2): 231-242.

Ratcliffe, D. A. (1959). "The Vegetation of the Carneddau, North Wales: I. Grasslands, Heaths and Bogs." *The Journal of Ecology* 47(2): 371-413.

RATCLIFFE, D. A., THOMPSON, D.B.A. (1998). "The British uplands: their ecological character and international significance." Blackwell Scientific Publications. (in BES symposia Ecological Change in the Uplands).

Rawes, M. and R. Williams (1973). Production and utilisation of *Calluna* and *Eriophorum*. Hill pasture improvement and its economic utilisation. Oxon Potassium Institute Ltd, Henley-on-Thames: 115-119.

Reader, R. J., A. U. Mallik, et al. (1984). "Shoot Regeneration after Fire or Freezing Temperatures and Its Relation to Plant Life-Form for Some Heathland Species." *Vegetatio* 55(3): 181-189.

Ritchie, J. C. (1955). "*Vaccinium Vitis-Idaea* L." *The Journal of Ecology* 43(2): 701-708.

ROBERTS, J. L., GREEN, D. (1983). "Breeding failure and decline of merlins on a North Wales moor." *Bird Study*, 30, 193-200.

Robinson, D. (1987). "Investigations into the Aukhorn peat mounds, Keiss, Caithness: pollen, plant macrofossil and charcoal analyses." *New Phytologist* 106(1): 185-200.

ROBSON, G., PERCIVAL, S.M., BROWN, A.F. (1994). "The breeding ecology of curlew: a pilot study." *English Nature Research Reports* 127.

ROWELL, T. A. (1990). "Management of peatlands for conservation." *British Wildlife*, 1(3), 144-156.

Savory, C. J. (1978). "Food Consumption of Red Grouse in Relation to the Age and Productivity of Heather." *The Journal of Animal Ecology* 47(1): 269-282.

Savory, C. J. (1986). "Utilization of Different Ages of Heather on Three Scottish Moors Uk by Red Grouse *Lagopus-Lagopus-Scoticus* Mountain Hares *Lepus-Timidus* Sheep and Red Deer *Cervus-Elaphus*." *Holarctic Ecology* 9(1): 65-71.

Scandrett, E. (1991). Regenerating heather moorland. A study of methods to encourage regeneration of heather (*Calluna vulgaris*) from seed. Roslin, Midlothian, Macaulay Land Use Research Institute: 52.

Scandrett, E. and C. H. Gimingham (1989). "Experimental Investigation of Bryophyte Interactions on a Dry Heathland." *The Journal of Ecology* 77(3): 838-852.

Sealy, J. R. and D. A. Webb (1950). "*Arbutus Unedo* L." *The Journal of Ecology* 38(1): 223-236.

SHAW, S. C., and others (1996). Literature review of the historical effects of burning and grazing of blanket bog and upland wet heath., *English Nature*: 103.

Shirreffs, D. A. (1985). "*Anemone Nemorosa* L." *The Journal of Ecology* 73(3): 1005-1020.

Sibbald, A. R. and T. J. Maxwell (1992). The use of simple models of livestock production systems to investigate the potential of mixed land-use systems. Agriculture. A. Gibon and G. Matheron. methodes et resultats actes d'un symposium organise par l'INRA-SAD et le CIRAD-IEMVT Toulouse, France, 7 juillet 1990. Office for Official Publications of the European Communities, Luxembourg, Approche globale des systemes d'elevage et etude de leurs niveaux d'organisation: concepts: 361-367.

Simpson, I. A., A. H. Kirkpatrick, et al. (1998). "Application of a grazing model to predict heather moorland utilization and implications for nature conservation." *Journal of Environmental Management* 54(3): 215-231.

Simpson, I. A., D. Parsisson, et al. (1997). "Envisioning Future Landscapes in the Environmentally Sensitive Areas of Scotland." *Transactions of the Institute of British Geographers* 22(3): 307-320.

SMALLSHIRE, D., SHORROCK, D.J. & HALSHAW, L. (1997). Sustainable grazing practices on the South West moors of England., *English Nature (EN)*. Devon, Cornwall and Isles of Scilly Team & Farming and Rural Conservation Agency (FRCA).

Smith, A. A., S. M. Redpath, et al. (2001). "Meadow pipits, red grouse and the habitat characteristics of managed grouse moors." *Journal of Applied Ecology* 38(2): 390-400.

Smith, A. G. and E. W. Cloutman (1988). "Reconstruction of Holocene Vegetation History in Three Dimensions at Waun-Fignen-Felen, an Upland Site in South Wales." *Philosophical Transactions of the Royal Society of London. Series B, Biological Sciences* 322(1209): 159-219.

SMITH, C. (1977). "Fire in the Mendip Hills." *Country Life*: 879-880.

Smith, R. A. H. and G. I. Forrest (1978). Field estimates of primary production. Production ecology of British moors and montane grasslands. O. W. a. P. Heal, D.F., Springer-Verlag Berlin Germany: 1978. . 17-37.

Smith, W. G. (1903). "Geographical Distribution of Vegetation in Yorkshire. Part II: Harrogate and Skipton District. (Continued)." *Geographical Journal* 22(2): 149-178. SNH (1992). Peatland Management Scheme : A sustainable future for the peatlands of Caithness and Sutherland., *Scottish Natural Heritage (SNH)*.

Sousa, W. P. (1984). "The Role of Disturbance in Natural Communities." *Annual Review of Ecology and Systematics* 15: 353-391.

Specht, R. L., Ed. (1981). Heathlands and related shrublands. Analytical studies. Heathlands and related shrublands. Analytical studies., Elsevier Scientific Publishing Company.; Amsterdam; Netherlands.

Spence, D. H. N. (1960). "Studies on the Vegetation of Shetland: III. Scrub in Shetland and in South Uist, Outer Hebrides." *The Journal of Ecology* 48(1): 73-95.

Stevenson, A. C., Birks, H.J.B. (1995). Heaths and Moorland: Long-term ecological changes, and interactions with climate and people. Heaths and Moorlands: Cultural landscapes. D. B. A. Thompson, Hester, A.J. and Usher, M.B. Edinburgh, HMSO. 2: 224-239.

Stevenson, A. C., and others (1996). "The determination of fire histories and an assessment of their effects on moorland soils and vegetation." SNH Research, Survey and Monitoring Report 16.

Stevenson, A. C., V. J. Jones, et al. (1990). "The Cause of Peat Erosion a Paleolimnological Approach." *New Phytologist* 114(4): 727-736.

Stevenson, A. C. and A. N. Rhodes (2000). "Palaeoenvironmental evaluation of the importance of fire as a cause for *Calluna* loss in the British Isles." *Palaeogeography Palaeoclimatology Palaeoecology* 164(1-4): 195-206.

STEWART, K., and others (2001). "The heath fritillary (*Mellicta athalia*) on Exmoor: changing status 1980-2000 and conservation recommendations." *Butterfly Conservation Report* S01-30.

Svenning, J. C. (2002). "A review of natural vegetation openness in north-western Europe." *Biological Conservation* 104(2): 133-148.

Swengel, A. B. (2001). "A literature review of insect responses to fire, compared to other conservation managements of open habitat." *Biodiversity and Conservation* 10(7): 1141-1169.

Sydes, C. (1990). "Conservation management in the uplands: some objectives and techniques." *Research & Survey in Nature Conservation* 31: 64-74.

Tallis, J. H. (1973). "Studies on Southern Pennine Peats: V. Direct Observations on Peat Erosion and Peat Hydrology at Featherbed Moss, Derbyshire." *The Journal of Ecology* 61(1): 1-22.

Tallis, J. H. (1995). "Climate and erosion signals in British blanket peats: The significance of *Racomitrium lanuginosum* remains." *Journal of Ecology* 83(6): 1021-1030.

Taylor, K. (1971). "*Rubus Chamaemorus* L." *The Journal of Ecology* 59(1): 293-306.  
Tharme, A. P., R. E. Green, et al. (2001). "The effect of management for red grouse shooting on the population density of breeding birds on heather-dominated moorland." *Journal of Applied Ecology* 38(2): 439-457.

Thomas, P. A., M. C. F. Proctor, et al. (1994). "The Ecology of Severe Moorland Fire on the North York Moors: Chemical and Physical Constraints on Moss Establishment from Spores." *Journal of Ecology* 82(3): 457-474.

THOMPSON, D. B. A., ed, HESTER, A.J., ed, USHER, M.B., ed (1995). Heaths and moorland: cultural landscapes. Edinburgh, HMSO.



- Todd, P. A., J. D. P. Phillips, et al. (2000). "Control of *Molinia caerulea* on moorland." *Grass and Forage Science* 55(2): 181-191.
- Topham, M. R. (1985). Sheep numbers and heather conservation on common land in the north of England. Discussion Paper, Department of Agricultural Economics, Department of Agricultural Marketing, University of Newcastle upon Tyne.
- TURNER, A. J. (1996). A habitat management survey of the unenclosed portion of the Carneddau SSSI. Bangor, Countryside Council for Wales (CCW). Science Branch.
- URQUHART, U. H. (1986). *Arctostaphylos* heathland in NE Scotland., NCC: 186.
- Usher, M. B. (1992). "Management and Diversity of *Arthropods* in *Calluna* Heathland." *Biodiversity and Conservation* 1(2): 63-79.
- Usher, M. B. and D. B. A. Thompson (1993). "Variation in the Upland Heathlands of Great-Britain - Conservation Importance." *Biological Conservation* 66(1): 69-81.
- USHER, M. B. S., L.M. (1988). "Recolonisation of burnt and cut heathland in the North York Moors by arachnids." *Naturalist* 113: 103-111.
- Vanhinsbergh, D. P. and D. E. Chamberlain (2001). "Habitat associations of breeding Meadow Pipits *Anthus pratensis* in the British uplands." *Bird Study* 48: 159-172.
- Vigars, K. (1998). Changes in burning on Exmoor grazing units since the 1940s from aerial photographs., Salford University.
- WALKER, F. (1992). Berwyn heather condition survey (1990-1992). Countryside Council for Wales (CCW). Science Branch: 12.
- WALSH, G. B. (1936). "Some results of a moorland fire." *Naturalist*, 83-84.
- Ward, S. A., R. E. Weaver, et al. (1989). "Monitoring Heather Burning in the North-York-Moors-National- Park Using Multi-Temporal Thematic Mapper Data." *International Journal of Remote Sensing* 10(7): 1151-1153.
- Ward, S. D. (1970). "The Phytosociology of *Calluna-Arctostaphylos* Heaths in Scotland and Scandinavia: I. Dinnet Moor, Aberdeenshire." *The Journal of Ecology* 58(3): 847-863.
- Ward, S. D. (1971). "The Phytosociology of *Calluna-Arctostaphylos* Heaths in Scotland and Scandinavia: II. The North-East Scottish Heaths." *The Journal of Ecology* 59(3): 679-696.
- Ward, S. D. (1972). "The Controlled Burning of Heather Grass and Gorse." *Nature in Wales* 13(1): 24-32.
- WARD, S. D. (1972). "The management of vegetation by swaling." *Devon Trust for Nature Conservation. Journal*, 4, 186-190.

- WATSON, A. (1977). "Wildlife potential in the Cairngorms region." *Scottish Birds*, 9, 245-262.
- Wein, R. W. (1973). "Eriophorum Vaginatatum L." *The Journal of Ecology* 61(2): 601-615.
- Welch, D. (1966). "Juncus Squarrosus L." *The Journal of Ecology* 54(2): 535-548.
- WELCH, D. e. a. (1994). Ecology of blaeberry and its management in British moorlands., Institute of Terrestrial Ecology (ITE): 39.
- Whittaker, E. (1961). "Temperatures in Heath Fires." *The Journal of Ecology* 49(3): 709-715.
- Whittaker, E. and C. H. Gimingham (1962). "The Effects of Fire on Regeneration of *Calluna Vulgaris* (L.) Hull. from Seed." *The Journal of Ecology* 50(3): 815-822.
- Whittingham, M. J. (1996). "Habitat requirements of breeding golden plover *Pluvialis apricaria* (BL)." Ph.D., Sunderland, 47-1297.
- Whittingham, M. J., S. M. Percival, et al. (2000). "Time budgets and foraging of breeding golden plover *Pluvialis apricaria*." *Journal of Applied Ecology* 37(4): 632-646.
- Whittingham, M. J., S. M. Percival, et al. (2002). "Nest-site selection by golden plover: why do shorebirds avoid nesting on slopes?" *Journal of Avian Biology* 33(2): 184-190.
- WINTER, G. (1987). "The heather vanishes." *Country Life*, 13 August, 72-73.
- Woodhead, T. W. (1929). "History of the Vegetation of the Southern Pennines." *The Journal of Ecology* 17(1): 1-34.
- WOODS, A. (1981). The role of fire in the management of heathland nature reserves., Wye College: 34.
- Wylie, D. D. and J. H. Dickson (1998). "The Holocene history of Scots Pine (*Pinus sylvestris* L.) at Loch Sloy, Scottish Highlands." *Glasgow Naturalist* 23(3): 16-23.
- Yeo, M. J. M. and T. H. Blackstock (2002). "A vegetation analysis of the pastoral landscapes of upland Wales, UK." *Journal of Vegetation Science* 13(6): 803-816.