

Supplementary material

References with comparators included in meta-analysis

Barker et al. (2004). Effects of habitat management on heathland response to atmospheric nitrogen deposition. *Biological Conservation* **120**: 41-52.

Bokdam & Gleichman (2000). Effects of grazing by free-ranging cattle on vegetation dynamics in a continental north-west European heathland *Journal of Applied Ecology* **37**: 415-431.

Brian, M. V. et al. (1976). The Changes in Ant Species Distribution During Ten Years Post-Fire Regeneration of a Heath. *The Journal of Animal Ecology*. **45**(1): 115-133.

Britton, A. J. et al. (2000a). A comparison of regeneration dynamics following gap creation at two geographically contrasting heathland sites. *Journal of Applied Ecology* **37**(5): 832-844.

Britton, A. J. et al. (2000b). Comparison of techniques to increase *Calluna vulgaris* cover on heathland invaded by grasses in Breckland, south east England. *Biological Conservation* **95**(3): 227-232.

Bullock, J. M. & Pakeman, R. J. (1996). Grazing of lowland heath in England: Management methods and their effects on heathland vegetation. *Biological Conservation* **79**(1): 1-13.

Bullock, J. M. & Webb, N. R. (1995). Responses to severe fires in heathland mosaics in Southern England. *Biological Conservation* **73**(3): 207-214.

Clarke (1988) Past and present mire communities of the new forest and their conservation. University of Southampton, PhD thesis.

Froment, A. (1981) Conservation of *Calluno-Vaccinietum* heathland in the Belgian Ardennes, an experimental approach. *Vegetatio* **47**. 193-200

Gallet, S. & Roze, F. (2001) Conservation of heathland by sheep grazing in Brittany (France): Importance of grazing period on dry and mesophilous heathlands. *Ecological Engineering* **17**(4): 333-344.

Hallam, A.D., & Hallam, O.M. (1981) Ashcolme turbarry reserve. *Nature in Devon: Devon Trust for Nature Conservation* 55-65.

Lippe, E., J. et al. (1985). Markov Models and Succession: A Test from a Heathland in the Netherlands. *The Journal of Ecology* **73**(3): 775-791.

Vandvik, V. et al. (2005). Managing heterogeneity: The importance of grazing and environmental variation on post-fire succession in heathlands. *Journal of Applied Ecology* **42**(1): 139-149.

References assessed at Full text including references subject to qualitative scoring

Allchin, E.A., P.D.Putwain, A.M.Mortimer, and N.R.Webb. (1996) Burning heathland for management: fire temperatures and vegetative regeneration. *Aspects of Applied Biology* 44, 407-412.

ADAS, (1996) Botanical Monitoring of Heathland and Semi-natural Grassland in the West Penwith ESA 1987–1995. environmentally sensitive areas scheme. MAFF.

ADAS, (1997) Biological Monitoring of Lowland Heathland in the Breckland ESA 1988–1996. environmentally sensitive areas scheme.

ADAS, (1997) Environmental Monitoring in the Exmoor ESA 1993-1996. environmentally sensitive areas scheme.

ADAS, (2004) Management Of Lowland Heath To Sustain And Enhance Biodiversity. Project BD1506. DEFRA.

Andrews, J. (1990). "Management of lowland heathlands for wildlife." *British Wildlife* 1(6): 336-346.

Andrews, J. (1992). "Some practical problems in set-aside management for wildlife." *British Wildlife* 3(6): 329-336.

Atkinson, M. D. (1992). "Betula Pendula Roth (B. Verrucosa Ehrh.) and B. Pubescens Ehrh." *The Journal of Ecology* 80(4): 837-870.

Atkinson, T. (1984). "The plant communities of valley mires in the New Forest, Hampshire." *Journal of Biogeography* 11(4): 289-317.

Auld, M.H.D., Pickess, B.P., Burgess, N.D., (1991). *Proceedings of Heathlands Conference II: history and management of southern lowland heaths*, Harrow House, Dorset. June 1990. Royal Society for the Protection of Birds (RSPB).

Bacon J, (1999). Back to purple with mean machines. *enact* 7 (2). 4-6. Reports on the use of forestry mulchers in heathland restoration projects.

Bacon JC, (1998). Examples of current grazing management of lowland heathlands and implications for future policy. *Lowland Heathland Programme, Number 271. English Nature Research Reports.*

Bacon JC, (1998). Examples of current grazing management of lowland heathlands and implications for future policy. *Lowland Heathland Programme, Number 271. English Nature Research Reports.*

Bakker J. P. (1989). *Nature Management by Grazing and Cutting*. Dordrecht, Kluwer Academic Publishers.

Bakker J. P., S. De Bie, J. H. Dallinga, P. Tjaden, Y. De Vries (1983). Sheep-Grazing as a Management Tool for Heathland Conservation and Regeneration in the Netherlands. *Journal of Applied Ecology*, Vol. 20, No. 2, 541-560.

Ball, M.E. (1974). Floristic changes on grasslands and heaths on the Isle of Rhum after a reduction or exclusion of grazing. *Journal of Environmental Management* 2 (4): 299-318.

Bannister, P. (1966). "Erica Tetralix L." *The Journal of Ecology* 54(3): 795-813.

Barker, C. G., J. N. B. Bell, et al. (2004). "Effects of habitat management on heathland response to atmospheric nitrogen deposition." *Biological Conservation* 120(1): 41-52.

Barker, C. G., S. A. Power, et al. (2004). "Effects of habitat management on heathland response to atmospheric nitrogen deposition." *Biological Conservation* 120(1): 41-52.

Bartolome, J. et al. (1998). Diet Selection By Sheep And Goats On Mediterranean Heathwoodland Range. *J. Range Manage.* 51:383-391

Bartolomé, J., J. Plaixats, et al. (2005). "Conservation of isolated Atlantic heathlands in the Mediterranean region: Effects of land-use changes in the Montseny biosphere reserve (Spain)." *Biological Conservation* 122(1): 81-88.

Bell, J. N. B. and J. H. Tallis (1973). "Empetrum Nigrum L." *The Journal of Ecology* 61(1): 289-305.

Bell, J.R., Wheeler, C.P. and Cullen, W.R. (2001). The implications of grassland and heathland management for the conservation of spider communities: a review. *Journal of Zoology* 255: 377-387.

Berendse, F (1985). The effect of grazing on the outcome of competition between plant species with different nutrient requirements. *Oikos*. Vol. 44, no. 1.

Bokdam, J. and Wallisdevries, M. F. (1992). Forage quality as a limiting factor for cattle grazing in isolated Dutch nature reserves. *Conservation Biology*, 6, 399-407.

Bokdam, J. (1996). Cyclic succession and shifting mosaics in a cattle grazed heathland in the Netherlands. *Rangelands in a sustainable biosphere West, N.E.*, Ed. Salt Lake City, Society for Range Management. 1: 58-9.

Bokdam, J. (2001). "Effects of browsing and grazing on cyclic succession in nutrient-limited ecosystems." *Journal of Vegetation Science* 12(6): 875-886.

Bokdam, J. and J. M. Gleichman (2000). "Effects of grazing by free-ranging cattle on vegetation dynamics in a continental north-west European heathland." *Journal of Applied Ecology* 37(3): 415-431.

Bowley, A. (1989). Lullington Heath NNR Warden's 5 year report 1984-9. Nature Conservancy Council (NCC), England, South East Region.

Boyce D, (2006). The Conservation of the Moorland Invertebrate Fauna on Exmoor. National Trust. www.exmoor-nationalpark.gov.uk/invertebrates.pdf

Bramwell, H. and J. Box (1998). "Long-term changes in grazing in Sutton Park National Nature Reserve." *British Wildlife* 10(2): 69-75.

Brewster, D. Hearn, K.A. Jarman, R.A. (1975). A survey of the vegetation of north west Sutherland. NCC CST Report 116 & London University.

Brian, M. V., M. D. Mountford, et al. (1976). "The Changes in Ant Species Distribution during Ten Years Post-Fire Regeneration of a Heath." *The Journal of Animal Ecology* 45(1): 115-133.

Briggs, D. (1965). "The Ecology of Four British *Dicranum* Species." *The Journal of Ecology* 53(1): 69-96.

Britton, A. J., P. D. Carey, et al. (2000). "A comparison of regeneration dynamics following gap creation at two geographically contrasting heathland sites." *Journal of Applied Ecology* 37(5): 832-844.

Britton, A. J., R. H. Marrs, et al. (2000). "Comparison of techniques to increase *Calluna vulgaris* cover on heathland invaded by grasses in Breckland, south east England." *Biological Conservation* 95(3): 227-232.

Britton, A. J., R. J. Pakeman, et al. (2001). "Impacts of climate, management and nitrogen deposition on the dynamics of lowland heathland." *Journal of Vegetation Science* 12(6): 797-806.

Britton, A.J. (1998). *Modelling Invasions On Heathlands*. PhD Thesis, University of Liverpool.

Britton, A.J., Marrs, R.H., Carey, P.D. and Pakeman, R.J. (2000). A Spatial Simulation Model Of Vegetation Change On British Heathlands. *Proceedings of the 41st Symposium of the International Association for Vegetation Science* 1998, 59-62.

Britton, A.J., Marrs, R.H., Pakeman, R.J. and Carey, P.D. (2000). Management Techniques To Promote *Calluna Vulgaris* Cover On Heathland Invaded By Grasses. *Aspects of Applied Biology* 58, 173-178.

Bullock, D.J., Clunas, A. Davies, M. (1997). Grading the grazing: using the grazing index for heather moorland. *enact* 5 (1). 20-22. An assessment of a grazing index for heather moorland.

Bullock, J. M. and N. R. Webb (1995). "Responses to severe fires in heathland mosaics in Southern England." *Biological Conservation* 73(3): 207-214.

Bullock, J. M. and R. J. Pakeman (1997). "Grazing of lowland heath in England: Management methods and their effects on heathland vegetation." *Biological Conservation* 79(1): 1-13.

Bulow-Olsen A. (1980) Changes in the species composition in an area dominated by *Deschampsia flexuosa* (L) trin. as a result of cattle grazing. *Biological Conservation*. 18.

Burgen, N.D., Evans, C.E., and Sorenson, J. The management of lowland heath for nightjars, at Minsmere, Suffolk. RSPB.

Burke, J.E. (1996). A survey of belt transects on the Lizard Peninsula, Cornwall. Southampton Institute. Maritime Faculty, Project submitted in part fulfilment of the degree of BSc in Maritime Studies

Burke, M. (2006). The Relationship between Biotic/Environmental Variables and Heather Grazing. ADAS.

Buttenschøn, J. and Buttenschøn, R. M. (1982). Grazing experiments with cattle and sheep on nutrient poor acidic grassland and heath. II. Grazing impact. *Natura Jutlandica*, 21, 19-27.

Buttenschøn, J. and Buttenschøn, R.M. (1985) Grazing experiments with cattle and sheep on nutrient poor, acidic grassland and heath. IV. Establishment of woody species. *Natura Jutlandica*, 21, 117-140.

Byfield A, D Pearman, (1995). Dorset's Disappearing Heathland Flora: a Case for Reinstating Grazing. RSPB Conservation Review.

Byfield, A.J. and Pearman, D.A. (1996). Dorset's Disappearing Heathland Flora. London: Plantlife & Sandy: Royal Society for the Protection of Birds.

Canals, R.-M. and M.-T. Sebastià (2002). "Heathland dynamics in biotically disturbed areas: On the role of some features enhancing heath success." *Acta Oecologica* 23(5): 303-312.

Carlisle, A. and A. H. F. Brown (1968). "Pinus Sylvestris L." *The Journal of Ecology* 56(1): 269-307.

Catchpole, C. (1991). The Dartford Warbler on Lowland heath. RSPB.

Chadwick, M. J. (1960). "Nardus Stricta L." *The Journal of Ecology* 48(1): 255-267.

Chapman, S. B. (1967). "Nutrient Budgets for a Dry Heath Ecosystem in the South of England." *The Journal of Ecology* 55(3): 677-689.

Chapman, S. B., J. Hibble, et al. (1975). "Net Aerial Production by *Calluna Vulgaris* on Lowland Heath in Britain." *The Journal of Ecology* 63(1): 233-258.

Chapman, S. B., R. J. Rose, et al. (1989). "A Model of the Phosphorus Dynamics of *Calluna* Heathland." *The Journal of Ecology* 77(1): 35-48.

Chapman, S. B., R. J. Rose, et al. (1989). "Phosphorus adsorption by soils from heathlands in southern England in relation to successional change." *Journal of Applied Ecology* 26(2): 673-680.

Chapman, S.B., and N.R.Webb. 1978. The productivity of *Calluna*-heathland in Southern England. In: *The Ecology of some British Moors and Montane Grasslands* (O.W.Heal and D.F.Perkins, eds.). Springer-Verlag, Berlin.

Charlene Legg, (2002). An Investigation Into The Effects Of Ponies On The Plant Communities Of Upton Heath. <http://www.bournemouth.ac.uk/conservation/EGS%20Parsons.html>

Chatters, C. (1996). Conserving rare plants in muddy places. *British Wildlife*, 7, 281-286.

Christensen, S. N. and I. Johnsen (2001). "The lichen-rich coastal heath vegetation on the isle of Anholt, Denmark - Conservation and management." *Journal of Coastal Conservation* 7(1): 13-22.

Chytrý, Milan¹; Sedláková, Iva and Tichý, Lubomír (2001). Species richness and species turnover in a successional heathland. *Applied Vegetation Science* 4: 89-96.

Clarke, J.L., Welch, D. and Gordon, I.J. (1995). The influence of vegetation pattern on the grazing of heather moorland by red deer and sheep. I. The location of animals on grass/heather mosaics. *Journal of Applied Ecology* 32 (1): 166-176.

Clarke, J.L., Welch, D. & Gordon, I.J. (1995). The influence of vegetation pattern on the grazing of heather moorland by red deer and sheep. II. The impact on the heather. *Journal of Applied Ecology* 32 (1): 177-186.

Clarke, M.J. (1988). Past and present mire communities in the New Forest and their conservation. PhD thesis, University of Southampton.

Clement B., J. Touffet (1990). Plant Strategies and Secondary Succession on Brittany Heathlands after Severe Fire. *Journal of Vegetation Science*, 1(2), 195-202.

Corbett, K.F., and Moulton, N.R. Sand Lizard species recovery programme: first year 1994-1995. RSPB.

Costigan, P. (1998). A literature review of factors influencing the growth of heather (*Calluna vulgaris*). Project BD0116. MAFF

Cox, J. (1998). Botanical monitoring of the Dorset heathlands Wildlife Enhancement Scheme - West Bog, Hartland Moor NNR. *English Nature*.

Crawley, M.J. (1983). *Herbivory. The dynamics of animal-plant interactions*. Oxford: Blackwell Scientific Publications.

Crowder, A. A., M. C. Pearson, et al. (1990). "*Drosera* L." *The Journal of Ecology* 78(1): 233-267.

Crowley, W., S. S. C. Harrison, et al. (2003). "An ecological assessment of the plant communities at Port Bán Nature Reserve in south-western Ireland." *Proceedings of the Royal Irish Academy - Section B Biology and Environment* 103(2): 69-82.

Curt, T. Prevosto, B. Kleszczewski, M. Lepart, L. (2003). Post-grazing Scots pine colonization of mid-elevation heathlands: population structure, impact on vegetation composition and diversity. *Annals of Forest Science* 60 (7): 711-724.

Dargie, T. (1992). Changes in the vegetation of Ross Links since 1955 and their relation to management. English Nature (EN). North East Region

Dargie, T. (1998). Sand dune vegetation survey of Scotland: South West. SNH Research, Survey and Monitoring Report 125.

Dargie, T. (1999). Sand dune vegetation survey of Scotland: Inner Hebrides. SNH Research, Survey and Monitoring Report 124

Dargie, T. (1998). Sand dune vegetation survey of Scotland: North West. SNH Research, Survey and Monitoring Report 126

Dargie, T. (1998). NVC survey of Ross Links, Lindisfarne SSSI: vegetation change 1988-1998. English Nature (EN). Northumbria Team

Davy, A. J. (1980). "*Deschampsia Caespitosa* (L.) Beauv." *The Journal of Ecology* 68(3): 1075-1096.

de Hullu, E. & Gimingham, C.H. (1984). Germination and establishment of seedlings in different phases of the *Calluna* life-cycle in a Scottish heathland. *Vegetatio*, 58, 115-121.

Denton, J. S., S. P. Hitchings, et al. (1997). "A recovery program for the natterjack toad (*Bufo calamite*) in Britain." *Conservation Biology* 11(6): 1329-1338.

Dixon, J. M. (2000). "*Koeleria macrantha* (Ledeb.) Schultes (*K. alpigena* Domin, *K. cristata* (L.) Pers. pro parte, *K. gracilis* Pers., *K. albescens* auct. non DC.)." *Journal of Ecology* 88(4): 709-726.

Dolman, P. M. and R. Land (1995). Lowland heathland.

Drake, C.M. and Denman, D.J. (1990). Invertebrates of five dunes in Northumberland. English Nature (EN).

Duncan, A.J., Hartley, S.E. & Iason, G.R. (1994). Fine-scale discrimination of forage quality by sheep offered a soybean-meal or barley supplement while grazing a nitrogen-fertilized heather (*Calluna vulgaris*) mosaic. *Journal Of Agricultural Science* 123 (Pt3): 363-370.

Duncan, P. (1983). Determinants of the use of habitat by horses in a Mediterranean wetland. *Journal of Animal Ecology*, 52, 93-109.

Dunsford, S. J., A. J. Free, et al. (1998). "Acidifying peat as an aid to the reconstruction of lowland heath on arable soil: A field experiment." *Journal of Applied Ecology* 35(5): 660-672.

English Nature & Royal Agricultural College. (1995). Discussion document on turf removal and disposal techniques from heathland.

English Nature, (1971). Forty-fifth Annual Report. Norfolk Naturalists' Trust. Periodicals Annual Report, 45

English Nature, (2005). Grazing management of lowland heathlands.

Etherington, J. R. (1981). "Limestone Heaths in South-West Britain: Their Soils and the Maintenance of their Calcicole-Calcifuge Mixtures." *The Journal of Ecology* 69(1): 277-294.

Evans, F. (1989). A review of the management of lowland wet heath in Dyfed, West Wales. NCC Contract Surveys 42.

Evans, R. (1997). "Soil erosion in the UK initiated by grazing animals : A need for a national survey." *Applied Geography* 17(2): 127-141.

Falk, S. and Kirby, P. (1989). The conservation of lowland heathland for invertebrates. Nature Conservancy Council (NCC)

Farrell, L. (1993). Lowland Heathland: The Extent of Habitat Change, English Nature Science Series 12. English Nature

Farrell L, (1983). Heathland Management. Joint Nature Conservation Committee.

Farrell, L., (1983). Heathland management. Focus on Nature Conservation 2. Nature Conservancy Council (NCC). Chief Scientist Directorate

Frankard, P., P. Ghiette, et al. (1998). "Peatlands of wallony (S-Belgium)." *Suo* 49(2): 33-37.

Froment A, (1981). Conservation of Calluno-Vaccinietum heathland in the Belgian Ardennes, an experimental approach. *Plant Ecology*, 46-47 (1), 193 – 200.

Gallet, S. and Roze, F. (2001). Resistance Of Atlantic Heathlands To Trampling In Brittany (France): Influence Of Vegetation Type, Season And Weather Conditions. *Biological Conservation*, 97: 189-198.

Gallet, S. and F. Roze (2001). "Conservation of heathland by sheep grazing in Brittany (France): Importance of grazing period on dry and mesophilous heathlands." *Ecological Engineering* 17(4): 333-344.

Gimingham, C.H. (1992). The Lowland Heathland Management Handbook. English Nature Science Series 8. English Nature.

- Gimingham, C.H., R.J. Hobbs, A.U. Mallik. (1981). Community dynamics in relation to management of heathland vegetation in Scotland. *Plant Ecology*, 46-47 (1), 149 – 155.
- Gimingham, C. H. (1960). "Calluna Salisb." *The Journal of Ecology* 48(2): 455-483.
- Gimingham, C. H. (1996). "Vegetational dynamics in Calluna heaths." *Verhandlungen - Gesellschaft für Ökologie* 25: 235-240.
- Gimingham, C.H. (1972). *Ecology of heathlands*. Oxford, Chapman and Hall.
- Gimingham, C.H. (1975). *An introduction to heathland ecology*. Edinburgh, Oliver and Boyd.
- Gimingham, C.H. (1994). Lowland heaths of west Europe: Management for conservation. *Phytocoenologia*, 24, 615-626.
- Gloaguin, J. C., and N. Gautier. (1981). Pattern development of the vegetation during colonization of a burnt heathland in Brittany (France). *Plant Ecology (Vegetatio)* 46:167-176.
- Goddard, P. (1981). *Ecology of the smooth snake Coronella austriaca Laurenti in Britain*, Southampton.
- Gormsen, G. (1991). Traditional heathland farming in Western Denmark. *Etnologia Scandinavica* 21: 105-125.
- Graham, S., Alexander, I. & Nicholson, A. (1997). Return of the heathcroppers. *enact* 5 (2). 4-7.
- Grant S. A, L. Torvell, H. K. Smith, D. E. Suckling, T. D. A. Forbes, J. Hodgson (1987). Comparative Studies of Diet Selection by Sheep and Cattle: Blanket Bog and Heather Moor. *Journal of Ecology*, Vol. 75, No. 4, 947-960.
- Grant S.A. (1971) Interactions of grazing and burning on heather moors 2. Effects on primary production and level of utilisation. *J. British Grassland Society*. 26, 173-181.
- Grant, S.A., Barthram, G.T., Lamb, W.I. & Milne, J.A. (1978). Effects of season and level of grazing on the utilization of heather by sheep. 1. Responses of the sward. *Journal of the British Grassland Society* 33: 289-300.
- Grant, S.A., Milne, J.A., Barthram, G.T. & Souter, W.G. (1982). Effects of season and level of grazing on the utilization of heather by sheep. 3. Longer-term responses and sward recovery. *Grass and Forage Science* 37: 311-320.
- Hallam, A.D., and Hallam, O.M. (1981). Ashculm Turbary Reserve, Hemyock, Devon, experimental work. *Nature in Devon*, 2, 55-65.
- Harper, J. L. (1957). "Ranunculus Acris L." *The Journal of Ecology* 45(1): 289-342.

Harris, R.A. and Jones, M. (1998). Conservation grazing management for maritime heath. Scottish Natural Heritage, Scottish Wildlife Trust.

Harris, R.A. and Jones, M. (1998). Fencing patterns for nature conservation grazing management. Scottish Natural Heritage, Scottish Wildlife Trust.

Harris, R.J. and Lawton, J.H. (1987). Changes in heathland plant and animal communities due to sheep-grazing. NCC Internal Report

Harrison, C.M. (1976). Heathland management in Surrey, England. *Biological Conservation*, 10, 211-220

Hartley, S.E., and Mitchell, R.J., (2005). Manipulation of nutrients and grazing levels on heather moorland: changes in *Calluna* dominance and consequences for community composition. *Journal of Ecology*, 93, 990-1004.

Hartley, S.E. Gardner, S. M. and Mitchell, R. J. (2003). Indirect effects of grazing and nutrient addition on the hemipteran community of heather moorlands. *Journal of Applied Ecology*. 40 (5): 793-803.

Hartley, S.E. (1997). The effects of grazing and nutrient inputs on grass-heather competition. *Botanical Journal of Scotland* 49 (2): 315-324.

Hester, A.J., Miles, J. and Gimingham, C.H. (1991). Succession from heather moorland to birch woodland .I. Experimental alteration of specific environmental conditions in the field. *Journal of Ecology* 79 (2): 303-315.

Hester, A.J., Miles, J. and Gimingham, C.H. (1991). Succession from heather moorland to birch woodland .II. Growth and competition between *Vaccinium myrtillus*, *Deschampsia flexuosa* and *Agrostis capillaris*. *Journal of Ecology* 79 (2): 317-328.

Hobbs, R.J. and Gimingham, C.H. (1984). Studies on fire in Scottish heathland communities .2. Post-fire vegetation development. *Journal of Ecology* 72 (2): 585-610.

Hobbs, R.J. and Gimingham, C.H. (1987). Vegetation, fire and herbivore interactions in heathland. *Advances In Ecological Research* 16: 87-173.

Hobbs, R.J. (1984). Markov-models in the study of post-fire succession in heathland communities. *Vegetatio* 56 (1): 17-30.

Hobbs, R.J. and Gimingham, C.H. (1980). Some effects of fire and grazing on heath vegetation. *Bulletin d'Ecologie*, 11(3), 709-715

Hobbs, R.J., Mallik, A.U. and Gimingham, C.H. (1984). Studies on fire in Scottish heathland communities .3. Vital attributes of the species. *Journal of Ecology* 72 (3): 963-976.

Hocking, S., and Stewart J, (2000). The status of Dorset heath *Erica ciliaris* in Cornwall. No. 353 English Nature Research Report.

IFFN, (2004). Re-establishment of Traditional Heathland Management Tools in the Federal Forest Service District Lausitz, Brandenburg State, Germany. International Forest Fire News <http://www.fire.uni-freiburg.de/programmes/natcon/Brandenburg%20Report-new.PDF>

IFFN, (2004). Studies on the Impact of Prescribed Burning and Sheep Grazing on Northwest German Heathland Ecosystems. International Forest Fire News http://www.fire.uni-freiburg.de/iffn/iffn_30/07-IFFN-30-Germany-NNA.pdf

Ivimey-Cook, R. B. (1959). "*Agrostis Setacea* Curt." *The Journal of Ecology* 47(3): 697-706.

J. Hodgson and A.W. Illius, eds. (1996). The ecology and management of grazing systems. Wallingford: CAB International, pp37-68

Jacquemart, A.-L. (1996). "*Vaccinium Uliginosum* L." *Journal of Ecology* 84(5): 771-785.

Jacquemart, A.-L. (1997). "*Vaccinium Oxycoccus* L. (*Oxycoccus Palustris* Pers.) and *Vaccinium Microcarpum* (Turcz. ex Rupr.) Schmalh. (*Oxycoccus Microcarpus* Turcz. ex Rupr.)." *Journal of Ecology* 85(3): 381-396.

Jacquemart, A.-L., J. De Sloover, et al. (2003). "A test of mowing and soil-removal restoration techniques in wet heaths of the High Ardenne, Belgium." *Wetlands* 23(2): 376-385.

Jacquemyn, H. Brys, R. Neubert, M. G. (2005). Fire increases invasive spread of *Molinia caerulea* mainly through changes in demographic parameters. *Ecological Applications* 15 (6) 2097-2108.

Jansen, A. J. M. Fresco, L. F. M. Grootjans, A. P. Jalink, M. H. (2004). Effects of restoration measures on plant communities of wet heathland ecosystems. *Applied Vegetation Science* 7 (2): 243-252.

Jansen, A.J.M., De Graaf, M.C.C. & Roelofs, J.G.M. (1996) The restoration of species-rich heathland communities in the Netherlands. *Vegetatio*, 126, 73–88.

Jones, E. W. (1959). "*Quercus* L." *The Journal of Ecology* 47(1): 169-222.

Key RS, Ball SG, Edwards M, Proctor DA, Proctor DA, 1995. Further invertebrate survey of RAF Lakenheath SSSI, July 1993. No. 146a English Nature Research Reports.

Key RS, Drake CM, Sheppard DA, Proctor DA, (1993). An invertebrate survey of RAF Lakenheath SSSI, Suffolk on 21 June 1992. No. 47 English Nature Research Reports.

Kirby, P. (1989). The conservation of lowland heathland for invertebrates. Nature Conservancy Council (NCC).

Kirkham F.W., S. Harvey, A.L. Gundry, (2006). Factors Influencing the Growth and Distribution of Common Heather, *Calluna Vulgaris* (L.) Hull. ADAS.
http://www.defra.gov.uk/science/project_data/DocumentLibrary/BD0116/BD0116_694_FRA.doc

Lake S, Bullock JM, Hartley S, (2001). Impacts of livestock grazing on lowland heathland in the uk. English Nature research report no. 422. Peterborough. 143 pp.

Lake, S. & Underhill-Day J. (2004). Conservation Grazing on Lowland Heaths. RSPB, Sandy. 95 pages.

Lake, S. (2002). The role of livestock grazing in the conservation of lowland heath (England), University of Southampton.

León-Cortes, J. L., M. J. R. Cowley, et al. (1999). "Detecting decline in a formerly widespread species: How common is the common blue butterfly *Polyommatus icarus*?" *Ecography* 22(6): 643-650.

Lewis, J. (1994). Rotovation for stone curlews. *Journal reference: enact*, 2(1), 16-17.

Liley, D. (2005). Clearance of Scots pine *Pinus sylvestris* to restore heathland at Hurn, Dorset, England. Case 193. RSPB www.conservationevidence.com

Liley, D. (2005). Controlled burning of heathland vegetation at Blackhill SSSI, Dorset, England. Case 189. RSPB. www.conservationevidence.com

Liley, D. (2005). Cutting of lowland heathland using a double-chop forage harvester at Trigon, Dorset, England. Case 190. RSPB www.conservationevidence.com

Liley, D. (2005). Gorse *Ulex europaeus* coppicing at Blackhill, Dorset, England. Case 191. RSPB www.conservationevidence.com

Liley, D. (2005). Mechanical clearance of Scots pine *Pinus sylvestris* & maritime pine *P. pinaster* using a shear-head processor at St Leonards SSSI, Hurn, Dorset, England. Case 192. RSPB www.conservationevidence.com

Liley, D. (2005). Mechanical clearance of Scots pine *Pinus sylvestris* & rhododendron *Rhododendron ponticum* from lowland heathland at Hurn, Dorset, England. Case 188. RSPB www.conservationevidence.com

Liley, D. (2005). Ring-barking of Scots pine *Pinus sylvestris* trees to create standing deadwood on heathland at Great Ovens, Dorset, England. Case 195. RSPB www.conservationevidence.com

Liley, D. (2002). Proceedings of the Sixth National Heathland Conference, Bournemouth, 17-19 September 2001. Royal Society for the Protection of Birds (RSPB).

Lippe, E., J. T. D. Smidt, et al. (1985). "Markov Models and Succession: A Test from a Heathland in the Netherlands." *The Journal of Ecology* 73(3): 775-791.

- MAFF, (1996). The Heather and Grass Burning Code. PB1029. MAFF publishing.
- MAFF. (1992). Breckland Environmentally Sensitive Area. Report of monitoring 1992. 64p
- Major, J. (1975). "Heaths." *Ecology* 56(6): 1465.
- Mallik A.U., FitzPatrick E.A. (1996). Thin section studies of *Calluna* heathland soils subject to prescribed burning. *Soil Use Manage.* 12:143-149.
- Mallik AU, CH Gimingham, (1983). Regeneration of heathland plants following burning. *Plant Ecology*, 53, Number 1, 45 – 58.
- Mallik, A.U. and Gimingham, C.H. (1985). Ecological effects of heather burning .2. Effects on seed-germination and vegetative regeneration. *Journal of Ecology* 73: 633-644.
- Manning, P. Putwain, P. D. Webb, N. R. (2005). Formulating a general statistical model for *Betula* spp. invasion of lowland heath ecosystems. *Journal of Applied Ecology* 42(6): 1031-1041.
- Manning, P., N. R. Webb, et al. (2004). "Identifying and modelling the determinants of woody plant invasion of lowland heath." *Journal of Ecology* 92(5): 868-881.
- Marrs RH, (1988). Vegetation change on lowland heaths and its relevance for conservation management. *J. Environ. Management*, 26, 127-149.
- Marrs, R. and A. B. Britton (2000). "Conservation problems on Breckland heaths: From theory to practice." *Biological Conservation* 95(2): 143-151.
- Marrs, R.H. (1986). The role of catastrophic death of *Calluna* in heathland dynamics. *Vegetatio*, 66, 109-115
- Marrs, R.H. (1987). Studies on the conservation of lowland *Calluna* heaths. 1. Control of birch and bracken and its effect on heath vegetation. *Journal of Applied Ecology*, 24, 163-175.
- Marrs, R.H. (1988). The relationship between the *Calluna* regeneration cycle and weed invasion. *Aspects of Applied Biology*, 16, 265-270.
- Marrs, R.H. (1989). Management of lowland heaths. Institute of Terrestrial Ecology. Annual Report, 1986/87, 89-91
- Marrs, R.H. Hicks, M.J. Fuller, R.M. (1986). Losses of lowland heath through succession at four sites in Breckland, East Anglia, England. *Biological Conservation*, 36, 19-38.
- Marrs, R.H. Lowday, J.E.(1992). Control of bracken and the restoration of heathland. 2. Regeneration of the heathland community. *Journal of Applied Ecology*, 29, 204-211.

Marrs, R.H. and Le Duc, M.G. (2000). Factors controlling vegetation change in long-term experiments designed to restore heathland in Breckland, UK. *Applied Vegetation Science* 3: 135-146.

McFerran D.M., McAdam J.H. and Montgomery W.I. (1995). The impact of burning and grazing on heathland plants and invertebrates in County Antrim. *Proc. Royal Irish Acad.* 95B: 1-17.

McKinley, R. (2001). Heathland restoration in Dorset: brash-baling as an alternative to burning. *enact* 9 (1). 16-19.

Michael N (1996). *The Lowland Heathland Management Booklet No: 11 Edition 2.* English Nature.

Michael N, (1994). A brief review of the extent, nature and costs of lowland heathland management in England. No. 101 English Nature Research Report.

Michael N, (1996). Lowland heath in England, a natural areas approach. No. 170 English Nature Research Reports.

Miller B (1997). A comparative study of physical accessibility between grazed and ungrazed sections of two New Forest commons, Hampshire. Hampshire Wildlife Trust.

Milne J.A. and B. Werkman, (2006). Re-analysis of data on the prediction of dry matter productivity of heather and the effect of grazing on it. Macaulay Land Use Research Institute, MLURI.

Milne, J.A., Bagley, L. & Grant, S.A. (1979). Effects of season and level of grazing on the utilization of heather by sheep. 2. Diet selection and intake. *Grass and Forage Science* 34: 45-53.

Mitchell, R. J., M. H. D. Auld, et al. (2000). "Ecosystem stability and resilience: A review of their relevance for the conservation management of lowland heaths." *Perspectives in Plant Ecology, Evolution and Systematics* 3(2): 142-160.

Mitchell, R. J., M. H. D. Auld, et al. (2000). "Estimates of nutrient removal during heathland restoration on successional sites in Dorset, southern England." *Biological Conservation* 95(3): 233-246.

Mitchell, R. J., R. H. Marrs, et al. (1997). "A study of succession on lowland heaths in Dorset, southern England: Changes in vegetation and soil chemical properties." *Journal of Applied Ecology* 34(6): 1426-1444.

Mitchell, R. J., R. H. Marrs, et al. (1998). "A Comparative Study of the Seedbanks of Heathland and Successional Habitats in Dorset, Southern England." *Journal of Ecology* 86(4): 588-596.

Mitchell, R. J., R. H. Marrs, et al. (1999). "A study of the restoration of heathland on successional sites: Changes in vegetation and soil chemical properties." *Journal of Applied Ecology* 36(5): 770-783.

Moore N. W. 1962. The Heaths of Dorset and their Conservation. *Journal of Ecology*, Vol. 50, No. 2 pp. 369-391

Moore, N. W. (1962). "The Heaths of Dorset and their Conservation." *The Journal of Ecology* 50(2): 369-391.

Morgan, R.K. (1980). Post-fire plant communities on a lowland heath: Iping Common, West Sussex. King's College London. Rogate Field Centre

Musgrave, M. (1979). Cavenham Heath National Nature Reserve: investigation of two management techniques and the subsequent grazing effects on the re-establishment of *Calluna* heath. NCC Wardens Theses.

NCC (1989). Management guidelines for the Dartmoor Commons. Nature Conservancy Council Dartmoor.

NCC, (1989). Report on a survey of the burning plots on Westleton Heath NNR, summer 1989. Nature Conservancy Council, East Anglia Region.

Nilsen, L.S. (2004). Coastal heath vegetation in central Norway; recent past, present state and future possibilities. Trondheim: Norwegian University of Science and Technology, Doctoral thesis for the degree of doctor scientiarum.

Nilsen, Liv S; Johansen, and Velle, Liv G. (2005). Early stages of *Calluna vulgaris* regeneration after burning of coastal heath in central Norway. *Applied Vegetation Science* 8: 57-64.

Oates M, (1998). Grazing for Nature Conservation on National Trust Land. National Trust.

Oates, M., Harvey, H.J., Glendell, M., (1998). Grazing sea cliffs and dunes for nature conservation. National Trust, Estates Department.

Obeso, J.R and Vera, M.L. (1996). Resprouting After Experimental Fire Application And Seed Germination In *Erica Vagans*. *Orsis*, 11:155-163.

Offer D, Edwards M, Edgar P, (2003). Grazing Heathlands: A guide to impact assessment for insects and reptiles English Nature Research Reports.

Ojeda F, T Maranon and J Arroyo, (1996). Postfire Regeneration of a Mediterranean Heathland in Southern Spain. *International Journal of Wildland Fire* 6(4) 191 – 198.

Ojeda, T Maranon and J Arroyo (1996). Postfire Regeneration of a Mediterranean Heathland in Southern Spain. *International Journal of Wildland Fire* 6(4) 191 - 198.

- Oom S. and Hester A.J. 1999. Heather Utilization Along Paths By Red Deer And Sheep In A Natural Heather/Grass Mosaic. *Botanical Journal of Scotland*, 51:23-38.
- Ovington, J. D. and G. Scurfield (1956). "Holcus Mollis L." *The Journal of Ecology* 44(1): 272-280.
- Pakeman, R. J., P. D. Hulme, et al. (2003). "Rehabilitation of degraded dry heather [*Calluna vulgaris* (L.) Hull] moorland by controlled sheep grazing." *Biological Conservation* 114(3): 389-400.
- Palmer SCF, Hester AJ (2000). Predicting spatial variation in heather utilization by sheep and red deer within heather/grass mosaics. *Journal of Applied Ecology* 37, 616-631.
- Palmer, S.C.F. & Hester, A.J. (2000). Predicting Spatial Variation In Heather Utilization By Sheep And Red Deer Within Heather/Grass Mosaics. *Journal of Applied Ecology*, 37, 616-631.
- Phillips, M. E. (1954). "Eriophorum Angustifolium Roth." *The Journal of Ecology* 42(2): 612-622.
- Pigott, C. D. (1955). "Thymus L." *The Journal of Ecology* 43(1): 365-387.
- Porter K, (1998). National SSSI Sample Survey of lowland heathland. No. 291 English Nature Research Reports.
- Prentice, H.C. Prentice, I.C. (1983). Plant communities of Holt Heath. Dorset Natural History and Archaeological Society. Proceedings, 105, 127-136.
- Prentice, I.C., van Tongeren, O. & Desmidt, J.T. (1987). Simulation of heathland vegetation dynamics. *Journal of Ecology* 75 (1): 203-219.
- Price , (2002). *Lowland Grassland and Heathland Habitats*. Routledge Habitat Guides. Routledge.
- Putman R. J., R. M. Pratt, J. R. Ekins, P. J. Edwards (1987). Food and Feeding Behaviour of Cattle and Ponies in the New Forest, Hampshire. *Journal of Applied Ecology*, 24, (2), 369-380.
- Putman, R.J. (1986) *Grazing in Temperate Ecosystems: Large Herbivores and the Ecology of the New Forest*. Croom and Helm, London, UK.
- Putwain PD, Rae PAS, (1988). *Heathland Restoration: A Handbook of Techniques*. British Gas, Southampton United Kingdom.
- Ranwell, D. (1959). "Newborough Warren, Anglesey: I. The Dune System and Dune Slack Habitat." *The Journal of Ecology* 47(3): 571-601.

- Richards, O.W. (1926). Studies on the ecology of British heaths III: animal communities of the felling and burn successions at Oxshott Heath, Surrey. *Journal of Ecology*, 14, 244-281.
- Ritchie, J. C. (1955). "Vaccinium Vitis-Idaea L." *The Journal of Ecology* 43(2): 701-708.
- Ritchie, J. C. (1956). "Vaccinium Myrtillus L." *The Journal of Ecology* 44(1): 291-299.
- Rook, A.J. & Penning, P.D.,(2000). Grazing management. BGS occasional symposium no.34.
- Rose, R. J., N. R. Webb, et al. (2000). "Changes on the heathlands in Dorset, England, between 1987 and 1996." *Biological Conservation* 93(1): 117-125.
- Rose, R. J., P. Bannister, et al. (1996). "Erica Ciliaris L." *Journal of Ecology* 84(4): 617-628.
- Rose, R.J. Webb, N.R. 2000. Restoration of wet heath scoping study. Centre for Ecology and Hydrology (CEH)
- RSPB & Surrey Trust for Nature Conservation, 1977. Heath fires in Surrey 1976. Sandy, Royal Society for the Protection of Birds.
- Sagar, G. R. and J. L. Harper (1964). "Plantago Major L., P. Media L. and P. Lanceolata L." *The Journal of Ecology* 52(1): 189-221.
- Sanderson, N.A. (1994) Notes on heathland grazing in the New Forest. Winchester: Ecological Planning and Research.
- Savukyniene, N., D. Moe, et al. (2003). "The occurrence of former heathland vegetation in the coastal areas of the south-east Baltic sea, in particular Lithuania: A review." *Vegetation History and Archaeobotany* 12(3): 165-175.
- Scurfield, G. (1954). "Deschampsia Flexuosa (L.) Trin." *The Journal of Ecology* 42(1): 225-233.
- Sedláková, I. and M. Chytrý (1999). "Regeneration patterns in a Central European dry heathland: Effects of burning, sod-cutting and cutting." *Plant Ecology* 143(1): 77-87.
- Shaw, S.C., and Wheeler, B.D. Literature review of the historical effects of burning and grazing of blanket bog and upland wet heath. RSPB
- Sheppard, D.A. (1990). An entomological survey of selected sites in East Midlands Region. LIB, Letchworth File WCS/456/SCI. Nature Conservancy Council (NCC).
- Skene, K. R., J. I. Sprent, et al. (2000). "Myrica gale L." *Journal of Ecology* 88(6): 1079-1094.

Smart, S. M. Bunce, R. G. H. Marrs, R. LeDuc, M. Firbank, L. G. Maskell, L. C. Scott, W. A. Thompson, K. Walker, K. J. (2005). Large-scale changes in the abundance of common higher plant species across Britain between 1978, 1990 and 1998 as a consequence of human activity: Tests of hypothesised changes in trait representation. *Biological Conservation* 124 (3) 355-371.

Stokes, K. E., A. E. Allchin, et al. (2004). "Population responses of *Ulex* shrubs to fire in a lowland heath community." *Journal of Vegetation Science* 15(4): 505-514.

Stokes, K. E., J. M. Bullock, et al. (2003). "*Ulex gallii* Planch. and *Ulex minor* Roth." *Journal of Ecology* 91(6): 1106-1124.

Summerfield, R. J. (1974). "*Narthecium Ossifragum* (L.) Huds." *The Journal of Ecology* 62(1): 325-339.

Swankie, L. (2000). A resurvey of Bodmin Moor South: comparing vegetation data from 1981 and 1999. *English Nature (EN) & Plymouth University*.

Symes N, J Day, (2003). *A Practical Guide to the Restoration and Management of Lowland Heathland*. RSPB, Sandy, UK.

Taylor, K. (1971). "*Rubus Chamaemorus* L." *The Journal of Ecology* 59(1): 293-306.

Taylor, K., A. P. Rowland, et al. (2001). "*Molinia caerulea* (L.) Moench." *Journal of Ecology* 89(1): 126-144.

Taylor, K., D. C. Havill, et al. (2002). "*Trientalis europaea* L." *Journal of Ecology* 90(2): 404-418.

Thompson, D.B.A., Hester, A.J., Usher, M.B., (1995). *Heaths and moorland: cultural landscapes. The Natural Heritage of Scotland, 2*. Edinburgh: HMSO.

Thorpe, H. (1957). "A Special Case of Heath Reclamation in the Alheden District of Jutland, 1700-1955." *Transactions and Papers (Institute of British Geographers)*(23): 87-121.

Tubbs C.R. (1974). *Heathland management in the New Forest*. *Biological Conservation* 18, 257-270.

Tubbs, C. R. (1991). "Grazing the lowland heaths." *British Wildlife* 2(5): 276-289.

Underhill, J.C.Liley, D. (2002). *Proceedings of the Sixth National Heathland Conference, Bournemouth, 17-19 September 2001*. Sandy: RSPB

Urban, K. E. (2005). Oscillating vegetation dynamics in a wet heathland. *Journal of Vegetation Science* 16 (1) 111-120.

Urquhart, U.H. Gimingham, C.H. (1980). *Maritime heath in northern Scotland. Survey of maritime heath vegetation in northern Scotland*. NCC CST Report 312

- Vandvik, V., E. Heegaard, et al. (2005). "Managing heterogeneity: The importance of grazing and environmental variation on post-fire succession in heathlands." *Journal of Applied Ecology* 42(1): 139-149.
- Vestergaard, P. and V. Alstrup (1996). "Loss of organic matter and nutrients from a coastal dune heath in northwest Denmark caused by fire." *Journal of Coastal Conservation* 2(1): 33-40.
- Waddell, L. (1993). Heather for grouse – and conservation. *enact* 1 (4). 15-16.
- Wall, T. Owen, M. Burning issues. *enact* 1 (4). 12-14.
- Wallis de Vries, M.F. (1994). Foraging in a landscape mosaic. Diet selection and performance of free-ranging cattle in heathland and riverine grassland. *Terrestrial Ecology and Nature conservation*: 161.
- Warren, M.S. (1987). The ecology and conservation of the Heath Fritillary butterfly, *Mellicta athalia*: III population dynamics and the effect of habitat management. *Journal of Applied Ecology*, 24, 499-513.
- Watson, W. (1932). "The Bryophytes and Lichens of Moorland." *The Journal of Ecology* 20(2): 284-313.
- Webb N.R. (1998). The Traditional Management Of European Heathlands. *Journal of Applied Ecology*, 35: 987-990.
- Webb, N. (1986). *Heathlands. The New naturalist*. London, Collins.
- Webb, N.R. (1980). Management and Conservation of Heathlands - Synthesis. *Bulletin d'Ecologie* 11 (3-4): 655-658.
- Webb, N.R. (2006). The Role of fire in the Ecology of Heathland in Southern Britain www.uni-freiburg.de/fireglobe/iffn/country/gb/gb_1.htm
- Welch D (1984). Studies in the Grazing of Heather Moorland in North-East Scotland. I. Site Descriptions and Patterns of Utilization. *Journal of Applied Ecology*, 21, (1) 179-195.
- Welch D., Scott D. (1995). Studies in the Grazing of Heather Moorland in Northeast Scotland. VI. 20-Year Trends in Botanical Composition. *Journal of Applied Ecology*, Vol. 32, No. 3. 596-611.
- Welch, D. (1966). "Juncus Squarrosus L." *The Journal of Ecology* 54(2): 535-548.
- Welch, D. (1984). Studies in the grazing of heather moorlands in north-east Scotland. II. Response of heather. *Journal of Applied Ecology*, 21, 197-207.
- Westerhoff, D., and Tubbs, C.R. (1991). Dartford warblers *Sylvia undata*; their habitat and conservation in the New Forest, Hampshire, England in 1988. *Biological Conservation*, 56, 89-100.

Williams B, (2003). A comparison of heathland management practices, approaches and mechanisms in the UK and the Netherlands. How can more sustainable heathland management practices be encouraged to benefit nature and people? National Trust, Arkell Fellowship.

Woodell, S. R. J. and A. Dale (1993). "Armeria Maritima (Mill.) Willd. (Stachys Armeria L.; S. Maritima Mill.)." *Journal of Ecology* 81(3): 573-588.

Woodrow W, Symes N, Auld M (1996). RSPB Dorset Heathland Project 1989-1995. A Management Case Study. RSPB.